



Back Bar Cooler



A Cooler with low energy consumption

Ideal height for under counter. Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.







| FEATURES | |
|--------------------------|-----------------|
| DOOR LOCK | V |
| DOOR TYPE | √ 1 Door/Hinged |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 1,40 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | V |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x536x840 mm |
| CAPACITY | Liters (Gross) | 123 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 2 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |





| COLORS AVAILABILITY | | | |
|---------------------|------------------------|---|-----------|
| | EXTERNAL CABINET COLOR | • | Black |
| | INTERNAL CABINET COLOR | 0 | Aluminium |



Back Bar Cooler



A Cooler with low energy consumption

Ideal height for under counter. Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | V |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 1,60 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 900x536x840 mm |
| CAPACITY | Liters (Gross) | 196 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 4 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|---|----------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | Aluminum |



Back Bar Cooler 193lt



New Design & Low Energy Consumption

The new under-counter cooler combines modern design with ultralow energy consumption, making it the perfect solution for professional spaces with limited room.

- Ideal height to fit neatly under a workbench.
- Electronic thermostat for precise temperature control.
- Insulated glass for reduced energy usage.
- Low noise level for quiet operation.
- LED lighting for excellent product visibility.
- Energy certified for reliable and efficient performance.

Operating Conditions: 32°C / 65% Relative Humidity

A cooler with sleek design, top performance, and energy efficiency – perfect for modern professional needs.

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| ILLUMINATION | 1,60 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | V |
| ENERGY LABEL CERTIFICATE | V |







| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 900x510x840 mm |
| CAPACITY | Liters (Gross) | 196 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 4 Adjustable Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|---|----------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | Aluminum |



Back Bar Cooler









A Cooler with low energy consumption

Ideal height for under counter.


Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.

| FEATURES | |
|--------------------------|-------------------|
| DOOR LOCK | V |
| DOOR TYPE | √ 3 Doors/Sliding |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|--------------|
| | CONSUMPTION | 1,90 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ |
| п | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1350x536x840 mm |
| CAPACITY | Liters (Gross) | 304 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 6 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |









Slim Cooler

Slim Cooler ideal for beverages, sandwiches, sweets, specially designed to fit everywhere.

Including electronic thermostat, Led lighting, & easy to place / adjust shelves.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | | |
|--------------------------|--------------------------|----------|
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | V |
| Į, | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 420x485x1880 mm |
| CAPACITY | Liters (Gross) | 220 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 6 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Beverage Cooler -Perfect for Narrow Spaces

Our new beverage cooler is designed to fit even in the tightest spaces, while offering maximum performance in a compact size. Ideal for soft drinks, sandwiches, desserts, and packaged products.

- Dynamic cooling system for stable temperature with no internal humidity
- · Double safety glass for durability and consistent cooling
- LED lighting for excellent product visibility
- Magnetic door switch stops the fan when the door opens, reducing cooling loss
- · Reinforced shelves for strength and flexibility
- Energy Class C Certified efficiency

A cooler that combines practicality, strength, and smart features, making it the perfect choice for professionals with limited space.

| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| HEATED GLASSES | V |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |
| DISPLAY TEMPERATURE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHTS | Led |
| CONSUMPTION | 2.90 kWh/24h |
| LOW EMISSIVITY GLASSES | √ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | √ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | V |







| | 1 |
|------|----|
| | -1 |
| | -1 |
| E) | -1 |
| MICH | 1 |

| SPECIFICATIONS | | |
|---------------------|--------------------|---------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 390 × 560 × 1850 mm |
| CAPACITY | Liters (Gross) | 188 |
| TEMPERATURE | ℃ | 2℃ - 8℃ |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a |
| REFIGERANT | | R600a |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Vertical Display Cooler

Ideal cooler for soft drinks, sandwiches, sweets, packaged, designed to fit even in narrow spaces along with extra depth for better loading.

It has a dynamic mechanism for better performance (without internal humidity), led lighting, double safety glass and an energy certificate.







| | FEATURES | |
|---|--------------------------|---|
| ı | DOOR LOCK | V |
| | SELF CLOSING DOOR | V |
| | ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 450x497x1881 mm |
| CAPACITY | Liters (Gross) | 260 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| REFIGERANT | | R600a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Vertical Display Cooler

Ideal cooler for soft drinks, sandwiches, sweets, packaged, designed to fit even in narrow spaces along with extra depth for better loading.

It has a dynamic mechanism for better performance (without internal humidity), led lighting, double safety glass and an energy certificate.







| | FEATURES | |
|---|--------------------------|---|
| ı | DOOR LOCK | ✓ |
| | SELF CLOSING DOOR | ✓ |
| | ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|----|--------------------------|--------------|
| | LIGHT SWITCH | √ Led |
| П | LOW EMISSIVITY GLASSES | ✓ |
| į, | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 440x540x1900 mm |
| CAPACITY | Liters (Gross) | 280 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Beverage cooler

Beverage cooler with external illuminated canopy.

Including internal thermometer display, door switch (stops fan upon door opening), heat insulated glasses for lower consumption & easy to place / adjust shelves.







| FEATURES | |
|--------------------------|------------------------|
| DOOR LOCK | √ |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | V |
| TEMPERATURE DISPLAY | ✓ Analogue thermometer |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 2.84 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 600×620×2000 mm |
| CAPACITY | Liters (Gross) | 382 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R600a Environmental friendly |



| (| COLORS AVAILABILITY | | | 1 |
|---|------------------------|----|-----------------------------------------|---|
| | EXTERNAL CABINET COLOR | •0 | Grey bottom grid & door White cabinet | I |
| | INTERNAL CABINET COLOR | 0 | White |) |





Beverage cooler

Beverage cooler with external illuminated canopy.

Including internal thermometer display, door switch (stops fan upon door opening), heat insulated glasses for lower consumption & easy to place / adjust shelves.







| FEATURES | |
|--------------------------|------------------------|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |
| TEMPERATURE DISPLAY | ✓ ANALOGUE THERMOMETER |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | V |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 600×630×2000 mm |
| CAPACITY | Liters (Gross) | 382 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R600a Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Frameless Cooler

CGlass door cooler Beverage cooler without top canopy at 1.8m.

Including heat insulated glasses for lower energy consumption & easy to place / adjust shelves.







| V |
|---|
| ✓ |
| V |
| |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 2.84 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 590×610×1800 mm |
| CAPACITY | Liters (Gross) | 382 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R600a Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|-----|-----------------------------------------|
| EXTERNAL CABINET COLOR | • 0 | Grey bottom grid & door White cabinet |
| INTERNAL CABINET COLOR | 0 | White |





Beverage Cooler

Premium all black beverage cooler with curved door(& glass) and external lighting curved canopy

Including door switch (stops fan upon door opening), special thermal insulated glasses for lower. Consumption & electronic thermostat.







| ЕПІПЛЕОН | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | ✓ |
| HUMID FREE GLASS | ✓ |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 1.74 kWh/24h |
| | LIGHT SWITCH | V |
| ı | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x625x1980 mm |
| CAPACITY | Liters (Gross) | 372 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Blind Cooler

Cooler for lower energy consumption with blind door.

Including door switch (stops fan upon door opening), electronic thermostat & light switch activated with opening door.







| | FEATURES | |
|---|-------------------------|---|
| C | OOR LOCK | ✓ |
| C | OOOR TYPE | V |
| E | NERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|----------------|
| П | CONSUMPTION | √ 1.75 kWh/24h |
| ı | LIGHT SWITCH | √ Led |
| н | LOW EMISSIVITY GLASSES | ✓ |
| ı | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x640x1840 mm |
| CAPACITY | Liters (Gross) | 358 |
| TEMPERATURE | ℃ | +0°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | | |
|---------------------|------------------------|---|-------|
| П | EXTERNAL CABINET COLOR | • | Black |
| | INTERNAL CABINET COLOR | 0 | White |





Commercial Cooler for Wine

Wine Cooler with 6 horizontal wood shelves and frameless door for better product visibility.

Including special heated insulated glasses for lower Consumption, Led illumination & electronic thermostat for ideal wine temperature







| FEATURES | |
|--------------------------|--------------------------------------------------------------|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |
| | DOOR LOCK DOUBLE SAFETY GLASS DOOR TYPE SELF CLOSING DOOR |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | LIGHT SWITCH | √ Led |
| ı | LOW EMISSIVITY GLASSES | V |
| | LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| | AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595×615×1850 mm |
| CAPACITY | Liters (Gross) | 382 |
| TEMPERATURE | ℃ | +5°C - +20°C |
| SHELVES | | 6 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a |





| COLORS AVAILABILITY | | | |
|---------------------|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | • | Black |
| | INTERNAL CABINET COLOR | • | Black |





Maintenance Showcase

Soft drinks fridge with external illuminated field.

With electronic thermostat, switch for cabin led, special heat-insulating double glazing (low emmisivity) for lower energy consumption and easy-to-install shelves. Very fast cooling!

It has a reduced noise level, 4 wheels, 2 with brakes and an energy certificate.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |
| TEMPERATURE DISPLAY | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | V |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 625×585×1980 mm |
| CAPACITY | Liters (Gross) | 380 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 5 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |





Static with Canopy

Vertical static freezer with fixed (Not adjustable) shelves *5.

ncluding door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free performance while incorporates easy to place.

Also icludes Mechanical Thermostat and analogue display







| FEATURES | |
|--------------------------|------------------------|
| DOOR LOCK | V |
| HEATED GLASSES | V |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |
| DISPLAY TEMPERATURE | ✓ ANALOGUE THERMOMETER |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | LIGHT SWITCH | √ Led |
| ı | LOW EMISSIVITY GLASSES | V |
| ı | LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| | AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 640 x 640 x 2030 mm |
| CAPACITY | Liters (Gross) | 361 |
| TEMPERATURE | ℃ | -18℃24℃ |
| SHELVES | | 5 Not adjustable shelves |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |





Beer Cooler

Subzero cooler with enhanced insulation for reaching temperatures below 0 °C.

Including thermal insulated glasses, Extra strong mechanism & electronic thermostat for accurate temperature set point adjustments.







| FEA | ATURES | |
|-----|------------------------|---|
| DOC | OR LOCK | V |
| DOL | IBLE SAFETY GLASS | V |
| DOC | R TYPE | V |
| EN | ERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| | CONSUMPTION | √ 4.20 kWh/24h |
| ı | LIGHT SWITCH | ✓ |
| П | LOW EMISSIVITY GLASSES | ✓ Low Emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| ı | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x640x1980 mm |
| CAPACITY | Liters (Gross) | 368 |
| TEMPERATURE | ℃ | -2℃ - +2℃ |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|---------------------------------|
| EXTERNAL CABINET COLOR | • | Black pre-painted metal sheet |
| INTERNAL CABINET COLOR | 0 | White Plastic |





Vertical glass door freezer

Vertical ventilated freezer with adjustable shelves.

Including door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free Performance.

Also includes 2 vertical sets of Led (Left/Right) for enhanced products ILLUMINATION & Smart Electronic thermostat for exact set point adjustment.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| HEATED DOOR GLASSES | ✓ |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 14.44 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 670 x 710 x 2026 mm |
| CAPACITY | Liters (Gross) | 470 |
| TEMPERATURE | ℃ | -18℃24℃ |
| SHELVES | | 6 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| (| COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | 0 | White |
| | INTERNAL CABINET COLOR | 0 | White |





Beer Cooler

Beer Cooler with reinforced insulation & mechanism for temperatures below 0°C With door switch (stops the fan with the opening of the door) and special heat-insulating glasses for lower consumption & electronic thermostat.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 6.00 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmissivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | | |
|----------------|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 680×655×2090 mm |
| | CAPACITY | Liters (Gross) | 469 |
| | TEMPERATURE | ℃ | -2℃ - +2℃ |
| | SHELVES | | 5 Reinforced Adjustable |
| | THERMOSTAT | | Electronic |
| | REFIGERANT | | R600a Environmental friendly |



| | COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | • | Black |
| I | INTERNAL CABINET COLOR | 0 | White |





Beer Cooler 550lts

Beer Cooler with reinforced insulation & mechanism for temperatures till -4°C

Special heat-insulating glasses for lower consumption & electronic thermostat.

Important note: Operates with resistance for defrost!

Condition: +40°C/75%RH







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | V |
| DOUBLE SAFETY GLASS | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| | LIGHT SWITCH | √ Led |
| ı | LOW EMISSIVITY GLASSES | ✓ |
| ı | LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ı | AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 690×720×1975 mm |
| CAPACITY | Liters (Gross) | 550 |
| TEMPERATURE | ℃ | -4°C - 0°C |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Upright Freezer with Air Circulation – Professional Performance & Energy Saving

The new upright air freezer delivers top cooling performance, ergonomic design, and low energy consumption, making it the perfect choice for professional use.

- Adjustable shelves for flexible product storage
- Door switch stops the fan when the door is opened to minimize cooling loss
- · Heated anti-fog glass to prevent condensation
- Dual vertical LED lighting (right & left) for uniform product presentation
- HOTGAS defrost system for maximum efficiency
- Self-closing door & low noise level for convenient use
- Energy certified for reliable operation
- Operating Conditions: 32 °C / 65% Relative Humidity The Evoline cooler can be perfectly combined with other models of the same series, creating a consistent and stylish professional display in your space.

| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| HEATED GLASSES | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |
| DISPLAY TEMPERATURE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHTS | Led |
| CONSUMPTION | 10.30 kWh/24h |
| LOW EMISSIVITY GLASSES | √ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | √ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | v |

680 × 730 × 2020 mm







| | -1 |
|-------|-----|
| | -1 |
| | -1 |
| | -1 |
| TOTAL | -1 |
| All | - 1 |

SPECIFICATIONS
EXTERNAL DIMENSIONS

INTERNAL CABINET COLOR

CAPACITY

SHELVES

TEMPERATURE



| ı | THERMOSTAT | (Digital-Manual) | Electronic | |
|---|------------------------|------------------|------------|---|
| ı | REFIGERANT | | R290a | |
| 1 | | | | |
| | | | | |
| ľ | COLORS AVAILABILITY | | | ١ |
| ı | EXTERNAL CARINET COLOR | • | Black | |

482

5

Black

-18℃ - 24℃

Width*Depth*Height

Liters (Gross)

°C







Evoline Beverage Cooler Elegance & Reliability

Upgrade your space with the new Evoline beverage cooler, designed for modern aesthetics, low energy consumption, and ultra-quiet operation. Perfect for HoReCa businesses, professional offices, and retail points.

- Energy Class C certified efficiency
- · Large capacity to fit a wide range of products
- · Dixell electronic thermostat for precise temperature control
- · Reinforced shelves for extra durability
- Dual LED lighting (right & left) for uniform product presentation
- Operating Conditions (Tropical): 40°C / 70% Relative Humidity

The Evoline cooler can be perfectly combined with other models of the same series, creating a consistent and stylish professional display in your space.

| | FEATURES | |
|---|--------------------------|---|
| ı | DOOR LOCK | ✓ |
| | HEATED GLASSES | ✓ |
| | DOOR TYPE | ✓ |
| | SELF CLOSING DOOR | ✓ |
| | ENERGY LABEL CERTIFICATE | ✓ |
| | DISPLAY TEMPERATURE | V |

| TOWARDS LOWER CO | IUMPTION |
|---------------------|----------------------|
| LIGHTS | Led |
| CONSUMPTION | 3.90 kWh/24h |
| LOW EMISSIVITY GLAS | SES ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTII | CATE 🗸 |

685 × 700 × 2025 mm

532

1℃ - 10℃

Electronic

R290a








| - 1 | CAPACITY |
|-----|-------------|
| | TEMPERATURE |
| | SHELVES |
| | THERMOSTAT |
| | REFIGERANT |
| | |

SPECIFICATIONS EXTERNAL DIMENSIONS

PACITY





Width*Depth*Height

Liters (Gross)

(Digital-Manual)

°C







Premium soft drinks cooler for outdoor and indoor use.

Its design and color make it ideal for highly aesthetic areas.

With special heat-insulating glass for lower energy consumption and easy-to-install shelves.

With double anti-glare safety glass, reduced noise level, led lighting and energy certificate. Designed for operation up to 40°C ambient temperature.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 621×680×2136 mm |
| CAPACITY | Liters (Gross) | 600 |
| TEMPERATURE | ℃ | 0°C - +10°C |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| REFIGERANT | | R600a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Premium all black beverage cooler

Including door switch (stops fan upon door opening), special thermal insulated glasses for lower Consumption & electronic thermostat







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | V |
| DOUBLE SAFETY GLASS | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 4.20 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 800×710×2130 mm |
| CAPACITY | Liters (Gross) | 655 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a Environmental friendly |





| COLORS AVAILABILITY | BIACK WHITE | BIACK WHITE |
|------------------------|---------------|---------------|
| EXTERNAL CABINET COLOR | • 0 | Black White |
| INTERNAL CABINET COLOR | • 0 | Black White |



Beverage Cooler

Double (Hinged) glass door cooler with external top canopy.

Including door switch (stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement / positioning).



OPTIONAL

Electronic Thermostat







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSINGDOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | V |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1100×730×2000 mm |
| | CAPACITY | Liters (Gross) | 962 |
| | TEMPERATURE | ℃ | +2°C - +8°C |
| | SHELVES | | 4 Reinforced Adjustable |
| Γ | THERMOSTAT | (Digital-Manual) | Analogue |
| | REFIGERANT | | R290a Environmental friendly |



| COLORS AVAILABILITY | BIACK WHITE | BIACK WHITE |
|------------------------|---------------|--------------------------------------------|
| EXTERNAL CABINET COLOR | •• • | Black White with black grid & door frame |
| INTERNAL CABINET COLOR | 0 0 | White White |



Grocery cooler

A Double (Hinged) glass door cooler with external top luminated canopy.

Including thermal insulated glasses for lower consumption , led lighting, electronic thermostat.







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATI | ONS | | |
|--------------|----------|--------------------|--------------------------------|
| EXTERNAL DIN | MENSIONS | Width*Depth*Height | 1100×730×2000 mm |
| CAPACITY | | Liters (Gross) | 962 |
| TEMPERATURE | | ℃ | +2℃ - +8℃ |
| SHELVES | | | 4 Reinforced Adjustable |
| THERMOSTAT | | (Digital-Manual) | Analogue |
| REFIGERANT | | | R290a Environmental friendly |




| | COLORS AVAILABILITY | | |
|---|------------------------|---|------------------------------------|
| | EXTERNAL CABINET COLOR | • | Black bottom grid door cabinet |
| 1 | INTERNAL CABINET COLOR | 0 | White |



Beverage Cooler

A Double (sliding) glass door

Including special insulated glasses for lower consumption & open door stand position for Practical / faster refill.



OPTIONAL Electronic

Thermostat







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 5.49 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| ENERGY LABEL CERTIFICATE | √ |

| 1 | SPECIFICATIONS | | |
|---|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1100×680×2000 mm |
| | CAPACITY | Liters (Gross) | 852 |
| | TEMPERATURE | ℃ | +2°C - +8°C |
| | SHELVES | | 4 Reinforced Adjustable |
| | THERMOSTAT | (Digital-Manual) | Analogue |
| | REFIGERANT | | R290a Environmental friendly |





| COLORS AVAILABILITY | | |
|-----------------------|-----|-------|
| EXTERNAL CABINET COLO | R ● | Black |
| INTERNAL CABINET COLO | R O | White |



Beverage Cooler

A double (Hinged) glass door cooler Cooler with external top luminated canopy.

Including special thermal insulated glasses for lower consumption, led lighting, electronic thermostat.







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | √ |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| LIGHT SWITCH | √ Led |
| DOORS | √ 2 doors/Hinged |
| SELF CLOSING DOOR | ✓ |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1120×585×1900 mm |
| CAPACITY | Liters (Gross) | 825 |
| TEMPERATURE | ℃ | +0°C - +8°C |
| SHELVES | | 5+5 |
| THERMOSTAT | (Digital-Manual) | Ηλεκτονικός |
| REFIGERANT | | R290 |



| COLORS AVAILABILITY | | |
|------------------------|---|---------------------------------|
| EXTERNAL CABINET COLOR | • | Black (pre-painted metal sheet) |
| INTERNAL CABINET COLOR | 0 | White (pre-painted Aluminium) |





(White) Double Door Vertical Display1000lt

Premium Cooler with double doors opening all glass (tempered) to the bottom for a better display of the products!

The Cooler is designed and checked for tropical conditions (Type: T-Tropical) with very low energy consumption, double condenser mechanism and energy certificate B (energy class)!!!! It also has a low depth and allows you to make it built-in and perfectly match the architecture of the space. Contains: LEDs on the sides of the refrigerator and on the top, reinforced shelves (5+5), reinforced insulation & mechanism, front legs for better stability and placement of the refrigerator. Ideal refrigerator with reduced noise level for elegant spaces with special requirements!

| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHTING | √ Led |
| LIGHT SWITCH | ✓ |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | V |







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1200×585×1980 mm |
| CAPACITY | Liters (Gross) | 1000 |
| TEMPERATURE | ℃ | 2°C - +10°C |
| SHELVES | | 5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |





Double (Hinged) Frameless glass door cooler with energy class C!

Including: New special (4) castors with built-in adjustable feet (front 2) for heavy use and designed not to damage the floor. There is also 1 adjustable foot in the middle of the refrigerator for better stability. Heavy duty shelves, with high density for better stability of beverages. New grid with holes for a better aesthetic effect and operation of the refrigerator. Reduced noise level. Special heat-insulating double layer glass door (low emmisivity) for lower consumption. Tempered safety glass. Electronic thermostat. LED lighting*3 where it covers the entire refrigerator from top to bottom. Energy certificate.

Important note : The refrigerator is tested at 38°C/70%RH

| ٢ | FEATURES | |
|---|--------------------------|---|
| ı | DOOR LOCK | V |
| | DOUBLE SAFETY GLASS | V |
| | DOOR TYPE | ✓ |
| | SELF CLOSING DOOR | V |
| | ENERGY LABEL CERTIFICATE | V |







| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| | LIGHT SWITCH | √ Led |
| ı | LOW EMISSIVITY GLASSES | V |
| ı | LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ı | AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ı | ENERGY LABEL CERTIFICATE | √ |
| | | |

| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1215×730×2020 mm |
| CAPACITY | Liters (Gross) | 1078 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | White |





Cooling refrigerator with double aluminum doors

Energy class D, with reinforced insulation & mechanism.

Features:

New wheels with integrated adjustable foot (the front 2) for heavy use. Shelves that withstand heavy loads and do not bend. Evaporator with copper pipes. Reduced noise level. Special heatinsulating double glazing (low emmisivity) for lower consumption. Tempered safety glass. Elitech electronic thermostat LED lighting*2 that covers the entire refrigerator from top to bottom. Energy certificate.

| FEATURES | | |
|--------------------------|---|--|
| DOOR LOCK | V | |
| DOUBLE SAFETY GLASS | V | |
| DOOR TYPE | V | |
| SELF CLOSING DOOR | V | |
| ENERGY LABEL CERTIFICATE | V | |







| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | √ |
| | |

| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1250×705×2050 mm |
| CAPACITY | Liters (Gross) | 1000 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Double (Hinged) glass door cooler.

Including door switch(stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement/positioning).







| | FEATURES | |
|---|--------------------------|-----|
| | DOOR LOCK | V |
| | DOUBLE SAFETY GLASS | ✓ |
| | DOOR TYPE | ✓ |
| | SELF CLOSING DOOR | V |
| l | ENERGY LABEL CERTIFICATE | v) |

| (| TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | V |
| | LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| | AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| (| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1200×736×2009 mm |
| CAPACITY | Liters (Gross) | 1200 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 4 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Display Cooler with Two Hinged Doors – Evoline Series – Energy Class C

Professional refrigerator from the Evoline Series, featuring two hinged glass doors, reinforced insulation, and a powerful cooling system. Designed for heavy-duty use, it ensures durability, energy efficiency, and excellent functionality.

- New heavy-duty (4) wheels
- High-density shelves that withstand heavy loads without bending
- New perforated grille for improved aesthetics and cooling performance
- Low noise level for quiet operation
- Special insulated double glass (low emissivity) for reduced energy consumption
- Tempered safety glass
- Electronic thermostat for precise temperature control
- 3x LED lights in an internal vertical channel covering the full height
- · Energy certification

Operating conditions: (tested): 38°C / 70% RH Packaging Dimensions: 1390*755*2100 mm / 152 kg

| FEATURES | |
|--------------------------|------------------|
| CONSUMPTION | √ 7,35 KW/24H |
| LIGHT SWITCH | √ Led |
| DOUBLE SAFETY GLASS | ✓ |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ENERGY LABEL CERTIFICATE | V |







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1350×730×2020 mm |
| CAPACITY | Liters (Gross) | 1147 |
| TEMPERATURE | ℃ | +1°C / +10°C |
| SHELVES | | 5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Grocery Display Cooler with Two Hinged Doors – Evoline Series – Energy Class C

Professional cooler from the Evoline Series, featuring two hinged glass doors, reinforced insulation, and a powerful cooling system.

- New heavy-duty (4) castor wheels
- High-density shelves designed to withstand heavy loads without bending
- New perforated grille for improved appearance and airflow performance
- Adjustable air rheostat for precise airflow control
- · Low noise level
- Special double thermal-insulated glass (low emissivity) for reduced energy consumption
- Tempered safety glass
- Electronic thermostat for accurate temperature control
- LED lighting *3 in internal vertical channel from top to bottom
- · Energy certification included

Operating conditions:

(tested): 38°C / 70% RH **Packaging Dimensions:**

1390*755*2100 mm / 152 kg

| | FEATURES | |
|---|--------------------------|------------------|
| | CONSUMPTION | √ 7,35 KW/24H |
| н | LIGHT SWITCH | √ Led |
| ı | DOUBLE SAFETY GLASS | V |
| н | LOW EMISSIVITY GLASSES | √ LOW EMMISIVITY |
| ı | ENERGY LABEL CERTIFICATE | v |







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1350×730×2020 mm |
| CAPACITY | Liters (Gross) | 1147 |
| TEMPERATURE | ℃ | +1°C / +10°C |
| SHELVES | | 5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Beverage Cooler

A Double (Hinged) glass door cooler with external top luminated canopy.

Including thermal insulated glasses for lower consumption, led lighting, electronic thermostat.







| FEATURES | |
|--------------------------|-----|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | v) |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 4,20 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1330x760x1998 mm |
| CAPACITY | Liters (Gross) | 1400 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5+5 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 |






| COLORS AVAILABILITY | | | | |
|------------------------|---|-------|--|--|
| EXTERNAL CABINET COLOR | • | Black | | |
| INTERNAL CABINET COLOR | • | Black | | |







Including smart electronic thermostat for exact temperature set point adjustment & an energy saving mode (Turn off lights + increase cabinet temperature), activated when needed. Also includes door switch (stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement / positioning) Suitable for placement in any premium outlet.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 5.22 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|---------------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1600×736×2042 mm |
| CAPACITY | Liters (Gross) | 1455 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 12 (3 per door) Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic (With energy saving mode) |
| REFIGERANT | | R290 |




| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Double (Hinged) Frameless glass door cooler.

adjustable feet (front 3) for heavy use and designed not to damage the floor. There is also 1 adjustable foot in the middle of the refrigerator for better stability. Heavy duty shelves, with high density for better stability of beverages. New grid with holes for a better aesthetic effect and operation of the refrigerator. Reduced noise level. Special heat-insulating double layer glass door (low emmisivity) for lower consumption. Tempered safety glass. Electronic thermostat. LED lighting*4 where it covers the entire refrigerator from top to bottom. Energy certificate.



| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | v |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | V |







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1830×700×2020 mm |
| CAPACITY | Liters (Gross) | 1455 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 5+5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | White |





Enjoy a highly aesthetic cooler with energy rating B, designed for very low noise operation—ideal for workplaces and HoReCa outlets.

Premium Frameless soft drink cooler with full glass door for perfect display of your products and high impulse

- Embraco inverter compressor for very low consumption
- Very large capacity
- Special thermal insulation double glazing (low emmissivity) for lower consumption,
- Dixell electronic thermostat
- Specially reinforced shelves
- · LED lighting
- Energy certificate.
- Tropical Operating Conditions: 40°C/70% Relative Humidity.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOW | ARDS LOWER CONUMPTION | |
|-------|-----------------------|-------------------|
| LIGHT | SWITCH | √ Led |
| LOW 6 | EMISSIVITY GLASSES | V |
| LOW 6 | EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTO | MATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENEF | GY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 790×700×2016 mm |
| CAPACITY | Liters (Gross) | 711 |
| TEMPERATURE | ℃ | 2℃ - 8℃ |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Enjoy a highly aesthetic cooler with energy rating C, ideal for HoReCa outlets.

Premium Frameless soft drink cooler with full glass door for perfect display of your products and high impulse

- Embraco compressor
- Very large capacity
- Special thermal insulation double glazing (low emmisivity) for lower consumption,
- Dixell electronic thermostat
- Specially reinforced shelves
- LED lighting
- Energy certificate.
- Tropical Operating Conditions: 40°C/70% Relative Humidity.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ |
| | LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| | AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| | ENERGY LABEL CERTIFICATE | √ |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1245×730×2016 mm |
| | CAPACITY | Liters (Gross) | 1190 |
| | TEMPERATURE | ℃ | 2℃ - 8℃ |
| | SHELVES | | 5+5 |
| | THERMOSTAT | (Digital-Manual) | Electronic |
| (| REFIGERANT | | R290a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Enjoy a combination of coolers for a 2-meter space coverage, high aesthetics, designed for very low noise operation—ideal for workplaces and HoReCa points.

Premium Frameless soft drink cooler with full glass door for perfect display of your products and high impulse

- Embraco inverter compressor for very low consumption
- Very large capacity
- Special thermal insulation double glazing (low emmisivity) for lower consumption,
- Dixell electronic thermostat
- Specially reinforced shelves
- LED lighting
- Energy certificate.

Tropical Operating Conditions: 40°C/70% Relative Humidity.

| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | V |
| DOUBLE SAFETY GLASS | V |
| ENERGY LABEL CERTIFICATE | V |

| | ΓΙΑ ΧΑΜΗΛΟΤΕΡΗ ΚΑΤΑΝΑΛΩΣΗ | |
|---|---------------------------|------------------|
| | CONSUMPTION | √ 4,94 KW/24H |
| н | LIGHTING | √ Led |
| ı | LIGHT SWITCH | ✓ |
| | LOW EMISSIVITY GLASSES | √ LOW EMMISIVITY |
| | ENERGY LABEL CERTIFICATE | V |







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2035×700×2160 mm |
| CAPACITY | Liters (Gross) | 1900 |
| TEMPERATURE | ℃ | 2℃ - 8℃ |
| SHELVES | | 5+5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Beverage cooler without a Canopy, with an aluminum door!

With special thermal insulation glass for lower energy consumption, shelves reinforced with profiles for prices.

With double safety glass, anti-glare glass and reduced noise level.

With LED lighting (vertical in the refrigerator cabinet) and energy certificate (C).

Operating Conditions: 32 °C/65% Relative Humidity.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | V |
| DOUBLE SAFETY GLASS | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHT SWITCH | √ Led |
| CONSUMPTION | 3.90 kWh/24h |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 540×580×1920 mm |
| CAPACITY | Liters (Gross) | 375 |
| TEMPERATURE | ℃ | 2℃ - 8℃ |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Beverage Cooler 1.80m – Energy Class B

Discover the new professional beverage cooler without canopy, 1.80m high – the perfect choice for cafés, mini markets, and food service businesses looking for reliability, energy efficiency, and excellent product presentation.

- Fast cooling with electronic thermostat for precise control.
- Vertical LED lighting for uniform and impressive display

With low noise levels and certified energy efficiency, this cooler is the ideal professional solution.

Packaging Dimensions (mm/kg): $625 \times 580 \times 1830 / 66.1$ kg Operating Conditions: $32 \,^{\circ}$ C / 65% Relative Humidity

| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| HEATED GLASSES | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |
| DISPLAY TEMPERATURE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHTS | Led |
| CONSUMPTION | 1.29 kWh/24h |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | √ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | v |








| - | (|
|---|---|
| | ŀ |
| | |
| | - |
| | Į |
| | |



| SPECIFICATIONS | | | |
|---------------------|--------------------|---------------------|--|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595 × 560 × 1795 mm | |
| CAPACITY | Liters (Gross) | 380 | |
| TEMPERATURE | ℃ | 2℃ - 8℃ | |
| SHELVES | | 4 +1(bottom) | |
| THERMOSTAT | (Digital-Manual) | Electronic | |
| REFIGERANT | | R600a | |
| | | | |







Beverage Cooler 1.80m – Energy Class B

Discover the new professional beverage cooler without canopy, 1.80m high – the perfect choice for cafés, mini markets, and food service businesses looking for reliability, energy efficiency, and excellent product presentation.

- Fast cooling with electronic thermostat for precise control.
- Vertical LED lighting for uniform and impressive display

With low noise levels and certified energy efficiency, this cooler is the ideal professional solution.

Packaging Dimensions (mm/kg): $625 \times 580 \times 1830 / 66.1$ kg Operating Conditions: $32 \,^{\circ}$ C / 65% Relative Humidity

| | FEATURES | |
|---|--------------------------|----------|
| ı | DOOR LOCK | V |
| | HEATED GLASSES | V |
| | DOOR TYPE | V |
| | SELF CLOSING DOOR | V |
| | ENERGY LABEL CERTIFICATE | V |
| | DISPLAY TEMPERATURE | √ |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| LIGHTS | Led |
| CONSUMPTION | 1.29 kWh/24h |
| LOW EMISSIVITY GLASSES | √ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | √ WHEN DOOR OPENS |
| ENERGY LABEL CERTIFICATE | v |







| Width*Depth*Height | 595 × 560 × 1795 mm |
|--------------------|---------------------|
| Liters (Gross) | 380 |
| ℃ | 2℃ - 8℃ |
| | 4 +1(bottom) |
| (Digital-Manual) | Electronic |
| | R600a |
| | Liters (Gross) ℃ |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | White |



Cooler with three large Frameless hindge doors! Energy class C!



Ψυγείο με τρεις μεγάλες πόρτες Frameless! Ανοιγόμενες και ενεργειακή κλάση C!

With reinforced insulation & HOT GAS defrosting! Operating temperature -1°C/+10°C.

Features:

- New special (4) front wheels with integrated adjustable feet for heavy use, designed not to damage the floor and 4 regular rear wheels
- Shelves for heavy duty and new grid with holes for a better aesthetic result and operation of the refrigerator.
- Reduced noise level.
- Evaporator & Condenser with copper ends
- 3 Fans for fast cooling
- Special heat-insulating double glazing (low emmisivity) for lower consumption
- Tempered safety glass
- Electronic thermostat
- Vertical 4* led lighting covering the entire refrigerator
- · Energy certificate.

Note: The refrigerator is tested at 25°C/60%RH

| FEATURES | |
|--------------------------|------------------|
| CONSUMPTION | √ 7,80 KW/24H |
| LIGHT SWITCH | √ Led |
| DOUBLE SAFETY GLASS | ✓ |
| LOW EMISSIVITY GLASSES | √ LOW EMMISIVITY |
| ENERGY LABEL CERTIFICATE | √ |







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1880×690×2030 mm |
| CAPACITY | Liters (Gross) | 1600 |
| TEMPERATURE | ℃ | -1℃ /+10℃ |
| SHELVES | | 5+5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |



Triple (Hinged) glass door cooler with energy class C!

Including:

- New special (6) castors with built-in adjustable feet (front 3) for heavy use and designed not to damage the floor.
- There is also 1 adjustable foot in the middle of the refrigerator for better stability.
- Heavy duty shelves, with high density for better stability of beverages.
- New grid with holes for a better aesthetic effect and operation of the refrigerator.
- Reduced noise level.
- Special heat-insulating double layer glass door (low emmisivity) for lower consumption
- Tempered safety glass
- Electronic thermostat
- LED lighting*4 where it covers the entire refrigerator from top to bottom
- Energy certificate.

Important note:

1 2

The refrigerator is tested at 38°C/70%RH

| FEATURES | |
|--------------------------|------------------|
| CONSUMPTION | √ 5,22 KW/24H |
| LIGHT SWITCH | √ Led |
| DOUBLE SAFETY GLASS | ✓ |
| LOW EMISSIVITY GLASSES | √ LOW EMMISIVITY |
| ENERGY LABEL CERTIFICATE | v |







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1830×700×2020 mm |
| CAPACITY | Liters (Gross) | 1587 |
| TEMPERATURE | ℃ | 2℃ / 8℃ |
| SHELVES | | 5+5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 |





| | COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | • | Black |
| 1 | INTERNAL CABINET COLOR | • | Black |





LIGHT SWITCH

DOUBLE SAFETY GLASS

LOW EMISSIVITY GLASSES

ENERGY LABEL CERTIFICATE

Energy Class D 2000lt

Cooler with four large Frameless hindge doors! Energy class D!

With reinforced insulation & HOT GAS defrosting!
Operating temperature
-1°C / +10°C

Features:

- New special (6) front wheels with integrated adjustable feet for heavy use ,designed not to damage the floor and 6 regular rear wheels
- Shelves for heavy duty and new grid with holes for a better aesthetic result and operation of the refrigerator.
- Reduced noise level.
- Evaporator & Condenser with copper ends
- 4 Fans & 2 compressors for fast cooling
- Special heat-insulating doubleglazing(lowermisivity) for lower consumption
- Tempered safety glass
- Electronic thermostat
- Vertical 6* led lighting covering the entire refrigerator
- Energy certificate.

Note: The refrigerator is tested at 25°C/60%RH







| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2580×690×2030 mm |
| CAPACITY | Liters (Gross) | 2000 |
| TEMPERATURE | ℃ | -1℃ / +10℃ |
| SHELVES | | 5+5+5+5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a |

✓ Led

√ LOW EMMISIVITY





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





(Ventilated) Black Vertical glass door freezer

Vertical ventilated freezer with adjustable shelves.

Including door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free Performance.

Also includes 2 vertical sets of Led (Left/Right) for enhanced products ILLUMINATION & Smart Electronic thermostat for exact set point adjustment.







| | FEATURES | |
|---|--------------------------|---|
| ı | DOOR LOCK | ✓ |
| | HEATED GLASSES | ✓ |
| | DOOR TYPE | ✓ |
| | SELF CLOSING DOOR | ✓ |
| | ENERGY LABEL CERTIFICATE | ✓ |
| | DISPLAY TEMPERATURE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|---------------------|
| LIGHT SWITCH | √ Led |
| CONSUMPTION | 14.44 kWh/24h |
| LOW EMISSIVITY GLASS | ES ✓ LOW EMMISIVITY |
| AUTOMATIC FAN STOP | ✓ WHEN DOOR OPENS |
| ENERGY LABEL CERTII | ICATE 🗸 |

| SPECIFICATIONS | | |
|---------------------|--------------------|---------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 670 x 710 x 2026 mm |
| CAPACITY | Liters (Gross) | 496 |
| TEMPERATURE | ℃ | -18℃24℃ |
| SHELVES | | 6 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R404a/R290 |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | White |





Horizontal freezer static 1.3 m. with 2 sliding curved windows.

A freezer with better presentation of products with safety glass, anti-fog, thermal insulation (low emmisivity) for low consumption, reduced noise level and energy certificate.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |
| DISPLAY TEMPERATURE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | V |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ENERGY LABEL CERTIFICATE | √ |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|----------------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1305 x 635 x 980 mm (including wheels) |
| | CAPACITY | Liters (Gross) | 393 |
| | TEMPERATURE | ℃ | -15℃ / -23℃ |
| | SHELVES | | 2 |
| | THERMOSTAT | (Digital-Manual) | Mechanical |
| ı | REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |







Horizontal static freezer with 2 sliding glass lids.

This model includes Led ILLUMINATION & baskets inside. Including special heat insulated glasses for lower consumption & temperature thermometer display.







| FEATURES | |
|--------------------------|------------------------|
| DOOR LOCK | V |
| SAFETY GLASS | ✓ |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |
| DISPLAY TEMPERATURE | ✓ Analogue thermometer |


| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 5.41 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2050 x 630 x 830 mm (including wheels) |
| CAPACITY | Liters (Gross) | 672 |
| TEMPERATURE | ℃ | ≤-18℃ |
| SHELVES | | 6 |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|----------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | Aluminum |





Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display .







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| CURVED GLASSES | ✓ |
| SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1475 x 757 x 858 mm (including wheels) |
| CAPACITY | Liters (Gross) | 500 |
| TEMPERATURE | ℃ | ≤-18℃ |
| SHELVES | | 5 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Gray |
| INTERNAL CABINET COLOR | 0 | White |





Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display .







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| CURVED GLASSES | ✓ |
| SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | V |
| LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ENERGY LABEL CERTIFICATE | ✓ |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2000 x 757 x 858 mm (including wheels) |
| CAPACITY | Liters (Gross) | 700 |
| TEMPERATURE | ℃ | ≤-18°C |
| SHELVES | | 6 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Gray |
| INTERNAL CABINET COLOR | 0 | White |





Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| CURVED GLASSES | ✓ |
| SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| ENERGY LABEL CERTIFICATE | V |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|----------------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1475 x 757 x 858 mm (including wheels) |
| | CAPACITY | Liters (Gross) | 500 |
| | TEMPERATURE | ℃ | ≤-18°C |
| | SHELVES | | 5 Reinforced |
| | THERMOSTAT | (Digital-Manual) | Electronic |
| (| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |





Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display.

| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| CURVED GLASSES | ✓ |
| SAFETY GLASS | ✓ |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | ✓ |







| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2000 x 757 x 858 mm (including wheels) |
| CAPACITY | Liters (Gross) | 700 |
| TEMPERATURE | ℃ | ≤-18℃ |
| SHELVES | | 6 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| (| COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | 0 | White |
| | INTERNAL CABINET COLOR | 0 | White |



Horizontal freezer



Horizontal freezer static 2.5 m. with 2 sliding curved windows and defrosting with hot gas!

A freezer with better presentation of products with safety glass, anti-fog, thermal insulation (low emmisivity) for low consumption, reduced noise level and energy certificate. It has an electronic thermostat for accurate temperature regulation and 2 Compressors for faster and better cooling.







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | ✓ |
| CURVED GLASSES | ✓ |
| SAFETY GLASS | √ |
| DOOR TYPE | √ |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|------------------|
| ı | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | V |
| | LOW EMISSIVITY GLASSES | ✓ LOW EMMISIVITY |
| ı | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|---------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2500 x 850 x 850mm (including wheels) |
| CAPACITY | Liters (Gross) | 1000 |
| TEMPERATURE | ℃ | ≤-18℃ |
| SHELVES | | 6 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |





Counter cooler with 2 doors.

With a static cooling performance (cooling element inside cabinet walls) & no internal fan.

Electronic thermostat for exact temperature set point adjustment. This model can work up to -8C .







| FEATURES | |
|----------------------------|-------------------------|
| STATIC COOLING | √ Cooling cabinet walls |
| WIDE TEMP. SET POINT RANGE | ✓ Abjustable |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------|
| CONSUMPTION | √ 2 kWh/24h |
| NO INTERNAL FAN | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1500 x 620 x 800 mm |
| CAPACITY | Liters (Gross) | 208 |
| TEMPERATURE | ℃ | -8℃ - +8℃ |
| SHELVES | | 1 Abjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | 0 | Inox |
| INTERNAL CABINET COLOR | 0 | Inox |





Counter cooler with 2 doors.

Dynamic Mechanish with internal fan.

Electronic thermostat for exact temperature set point adjustment.

| FEATURES | |
|----------------------------|-------------------------|
| STATIC COOLING | √ Cooling cabinet walls |
| WIDE TEMP. SET POINT RANGE | √ Abjustable |
| ENERGY LABEL CERTIFICATE | √ |







| TOWARDS LOWER CONUMPTION | |
|--------------------------|---|
| NO INTERNAL FAN | V |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1500 x 620 x 800 mm |
| CAPACITY | Liters (Gross) | 208 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 1 Abjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| | COLORS AVAILABILITY | | |
|---|------------------------|---|------|
| | EXTERNAL CABINET COLOR | • | Inox |
| 1 | INTERNAL CABINET COLOR | • | Inox |





Counter cooler with 3 doors.

With a static cooling performance (cooling element inside cabinet walls) & no internal fan.

Electronic thermostat for exact temperature set point adjustment.

This model can work up to -8C.

| FEATURES | |
|----------------------------|-------------------------|
| STATIC COOLING | √ Cooling cabinet walls |
| WIDE TEMP. SET POINT RANGE | √ Abjustable |
| ENERGY LABEL CERTIFICATE | V |







| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------|
| CONSUMPTION | √ 2 kWh/24h |
| NO INTERNAL FAN | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1800 x 620 x 800 mm |
| CAPACITY | Liters (Gross) | 280 |
| TEMPERATURE | ℃ | -8℃ - +8℃ |
| SHELVES | | 1 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| | COLORS AVAILABILITY | | | |
|---|------------------------|---|------|--|
| | EXTERNAL CABINET COLOR | 0 | Inox | |
| 1 | INTERNAL CABINET COLOR | 0 | Inox | |





Cold Displays

Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONSUMPTION | |
|---|---------------------------|--------------|
| | ILLUMINATION | 2,79 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ |
| ı | ENERGY LABEL CERTIFICATE | ✓ |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|-------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 702x568x686 mm |
| | CAPACITY | Liters (Gross) | 120 |
| | TEMPERATURE | ℃ | 0°C - +12°C |
| | SHELVES | | 2 Adjustable |
| | THERMOSTAT | (Digital-Manual) | Electronic |
| 1 | REFIGERANT | | R290 Environmental friendly |



| (| COLORS AVAILABILITY | | |
|---|------------------------|---|------------|
| | EXTERNAL CABINET COLOR | • | Black/inox |
| | INTERNAL CABINET COLOR | 0 | inox |





Cold Displays

Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONSUMPTION | |
|---|---------------------------|--------------|
| | ILLUMINATION | 2,84 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ |
| ı | ENERGY LABEL CERTIFICATE | ✓ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 880x568x686 mm |
| CAPACITY | Liters (Gross) | 160 |
| TEMPERATURE | ℃ | 0°C - +12°C |
| SHELVES | | 2 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------------|
| EXTERNAL CABINET COLOR | • | Black/inox |
| INTERNAL CABINET COLOR | 0 | inox |



Cold Displays



Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONSUMPTION | |
|---------------------------|--------------|
| ILLUMINATION | 3,72 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |

| SPECIFICATIONS | | EFC 200 | EFC 250 |
|---------------------|--------------------|---------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1220x568x686 mm | 1525x588x686 mm |
| CAPACITY | Liters (Gross) | 200 | 268 |
| TEMPERATURE | °C | 0℃ - +12℃ | |
| SHELVES | | 2 Adjustable | |
| THERMOSTAT | (Digital-Manual) | Electronic | |
| REFIGERANT | | R290 Environmenta | al friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------------|
| EXTERNAL CABINET COLOR | • | Black/inox |
| INTERNAL CABINET COLOR | 0 | inox |



Heated Displays



Counter top Heated display ideal for preserving the right temperature of your products like bakery products etch..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONSUMPTION | |
|---|---------------------------|----------|
| | INPUT POWER | 1100w |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ |
| ı | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 678x568x686 mm |
| CAPACITY | Liters (Gross) | 120 |
| TEMPERATURE | ℃ | 30℃ - 90℃ |
| SHELVES | | 3 Adjustable |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| | | |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | • | inox |
| INTERNAL CABINET COLOR | 0 | inox |



Heated Displays



Counter top Heated display ideal for preserving the right temperature of your products like bakery products etch..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | ✓ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------|
| | INPUT POWER | 1500w |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ |
| ı | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 856x568x686 mm |
| CAPACITY | Liters (Gross) | 160 |
| TEMPERATURE | ℃ | 30℃ - 90℃ |
| SHELVES | | 3 Adjustable |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| | | |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | • | inox |
| INTERNAL CABINET COLOR | 0 | inox |



Heated Displays



Counter top Heated display ideal for preserving the right temperature of your products like bakery products etch..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.







| | FEATURES | |
|---|--------------------------|--------------------|
| | DOOR LOCK | |
| | DOOR TYPE | √ 2 Doors/ Sliding |
| ı | ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONSUMPTION | |
|---------------------------|-------|
| INPUT POWER | 1500w |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1198x570x690 mm |
| CAPACITY | Liters (Gross) | 200 |
| TEMPERATURE | ℃ | 30℃ - 90℃ |
| SHELVES | | 3 Adjustable |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| | | |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | • | inox |
| INTERNAL CABINET COLOR | 0 | inox |





Counter top Salad display ideal for Snacks, Salads with rectangular glass for a better view of the products.

Including electronic thermostat, ECO friendly refrigerant and GN (1/4) trays.

| FEATURES | |
|--------------------------|-----|
| DOOR LOCK | |
| DOOR TYPE | n/a |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|--------------|
| Ш | CONSUMPTION | 2,13 kWh/24h |
| | LIGHT SWITCH | |
| П | LOW EMISSIVITY GLASSES | |
| | ENERGY LABEL CERTIFICATE | \checkmark |

| SPECIFICATIONS | | |
|---------------------|--------------------|-------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2000x335x447 mm |
| CAPACITY | (GN PAN) | 10*1/4 GN Pan |
| TEMPERATURE | ℃ | 2℃ - 12℃ |
| SHELVES | | n/a |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | | inox |
| INTERNAL CABINET COLOR | 0 | inox |



Premium Flat Glass Countertop Display Cake Ambient

Premium Neutral Display Case Tabletop 550x398x381 mm

- With 2 glass doors at the back
- Black color for high aesthetic spaces
- Stainless steel bottom
- Shelf for better product display
- · Capacity 65 liters





| SPECIFICATIONS | | |
|---------------------|--------------------|----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 550x398x381 mm |
| CAPACITY | Liters (Gross) | 65 |
| TEMPERATURE | ℃ | Ambient |
| SHELVES | | 1 |
| LIGHT SWITCH | | NO |
| WEIGHT | | 18,5 kg |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | inox |



Premium Flat Glass Countertop Display Cake Ambient

Premium Neutral Display Case Tabletop 5827x368x366 mm

- With 2 glass doors at the back
- Black color for high aesthetic spaces
- Stainless steel bottom
- Shelf for better product display
- · Capacity 90 liters





| SPECIFICATIONS | | |
|---------------------|--------------------|----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 827x368x366 mm |
| CAPACITY | Liters (Gross) | 90 |
| TEMPERATURE | ℃ | Ambient |
| SHELVES | | 2 |
| LIGHT SWITCH | | NO |
| WEIGHT | | 23 kg |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | inox |