



# ECOFRIDGE

Cooling Solutions



CATALOGUE 2025

# CV45B

## Wine Cooler 130lt

### Frameless Wine Cooler with 5+1 Wooden Shelves

A wine cooler of unmatched aesthetics, specially designed for both wine enthusiasts and HoReCa professionals. A premium single-zone model, ideal for built-in or under-counter installation, combining elegance, advanced technology, and absolute functionality.

The frameless glass door design, combined with 5+1 beechwood shelves, ensures excellent stability, refined presentation, and ideal storage conditions, showcasing every bottle with subtle luxury.

- Static cooling system for gentle and stable wine preservation
- Electronic thermostat with external temperature display
- Capacity: 45 bottles (0.75L)
- 5 sliding beechwood shelves with integrated stop mechanism for safe partial extension
- 1 wooden presentation shelf for angled bottle display
- Reversible door for maximum installation flexibility
- Low noise level: only 39 dB
- Horizontal LED lighting at the top for discreet and elegant illumination
- Double-glazed glass with Low-E coating and UV protection film for optimal insulation, UV protection, and a stable internal microclimate

**Operating conditions:** 25°C / 60% Relative Humidity



#### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	0.37 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
LOW NOISE LEVEL	✓ 39dB
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	540 × 548 × 848 mm
CAPACITY	Liters (Gross)	130
TEMPERATURE	°C	4°C -22°C
SHELVES		8
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# CB50

## Countertop Display Fridge 50lt

### High Aesthetic Countertop Display Fridge – Energy Class B

50 lt display refrigerator with a **full glass frameless door**, offering a modern and elegant appearance, ideal for professional environments. Designed for **countertop placement**, providing excellent product visibility while saving valuable floor space.

Equipped with a **mechanical thermostat**, **static cooling with fan assistance** for more uniform temperature distribution, and **1 internal LED** light that effectively highlights the products.

The **insulated glass panels** contribute to lower energy consumption and help maintain a stable internal climate.

This display fridge is ideal for **impulse sales**, as it showcases products in the best possible way and enhances their visibility.

Widely used in retail stores, supermarkets, cafés, restaurants, pizzerias, gas stations, and more. It is particularly suitable for self-service environments, offering an excellent opportunity for strategic placement to create a focal point and increase additional sales.

**Operating conditions:** 32°C / 65% Relative Humidity



### Capacity:

- 33 cl bottles (230.0 x 63.0 mm): 25 pcs.
- 50 cl bottles (260.0 x 66.7 mm): 22 pcs.
- 25 cl cans (134.0 x 53.3 mm): 54 pcs.
- 33 cl cans (115.2 x 66.3 mm): 30 pcs.
- 33 cl slim cans (146.0 x 57.5 mm): 40 pcs.
- 50 cl slim cans (160.0 x 66.3 mm): 35 pcs.

TOWARDS LOWER CONSUMPTION	
LIGHTS	Led
CONSUMPTION	1.7 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
LOW NOISE LEVEL	✓ 38dB
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	510 × 430 × 475 mm
CAPACITY	Liters (Gross)	50
TEMPERATURE	°C	2°C – 10°C
SHELVES		1
THERMOSTAT	(Digital-Manual)	Mechanical
REFRIGERANT		R600a

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# CB100

## Display Refrigerator 110lt

High Aesthetic Design | Energy Class B



A high-aesthetic display refrigerator featuring a **frameless full glass door**, offering a modern and elegant appearance ideal for professional environments. Designed at the perfect height for installation under a worktop counter, maximizing space without compromising performance.

Equipped with a **mechanical thermostat, static cooling with fan assistance** for improved air circulation and more uniform temperature distribution, and **1 internal LED light** to effectively highlight products.

The **insulated glass panels** contribute to lower energy consumption and help maintain a stable internal climate.

This display refrigerator is ideal for **impulse sales**, as it showcases products in the most attractive way, increasing visibility and encouraging additional purchases.

Widely used in retail stores, supermarkets, cafés, restaurants, pizzerias, gas stations, and more. It is especially suitable for **self-service environments**, providing an excellent opportunity for strategic placement to create focus points and boost extra sales.

**Operating conditions:** 32°C / 65% Relative Humidity

### Capacity:

- 33 cl bottles (230.0 x 63.0 mm): 55 pcs
- 50 cl bottles (260.0 x 66.7 mm): 49 pcs
- 25 cl cans (134.0 x 53.3 mm): 149 pcs
- 33 cl cans (115.2 x 66.3 mm): 110 pcs
- 33 cl slim cans (146.0 x 57.5 mm): 104 pcs
- 50 cl slim cans (160.0 x 66.3 mm): 74 pcs

TOWARDS LOWER CONSUMPTION	
LIGHTS	Led
CONSUMPTION	1.8 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
LOW NOISE LEVEL	✓
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	470 x 472 x 840 mm
CAPACITY	Liters (Gross)	110
TEMPERATURE	°C	2°C - 10°C
SHELVES		3
THERMOSTAT	(Digital-Manual)	Mechanical
REFRIGERANT		R600a

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Aluminium



**ECOFRIDGE**  
Cooling Solutions



# BB150 ECO

## Back Bar Cooler



### A Cooler with low energy consumption

Ideal height for under counter.  
Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.



#### FEATURES

DOOR LOCK	✓
DOOR TYPE	✓ 1 Door/Hinged
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

CONSUMPTION	1,40 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	595x536x840 mm
CAPACITY	Liters (Gross)	123
TEMPERATURE	°C	+2°C - +10°C
SHELVES		2   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Aluminium

# BB220 ECO

## Back Bar Cooler

**A Cooler with low energy consumption**

Ideal height for under counter. Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.



### FEATURES

DOOR LOCK	✓
DOOR TYPE	✓ 2 Doors/ Sliding
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	1,60 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	900x536x840 mm
CAPACITY	Liters (Gross)	196
TEMPERATURE	°C	+2°C - +10°C
SHELVES		4   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R600a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Aluminum

# BB2SL

## Back Bar Cooler 193lt



### New Design & Low Energy Consumption

The new under-counter cooler combines modern design with ultra-low energy consumption, making it the perfect solution for professional spaces with limited room.

- Ideal height to fit neatly under a workbench.
- Electronic thermostat for precise temperature control.
- Insulated glass for reduced energy usage.
- Low noise level for quiet operation.
- LED lighting for excellent product visibility.
- Energy certified for reliable and efficient performance.

Operating Conditions:  
32 °C / 65% Relative Humidity

A cooler with sleek design, top performance, and energy efficiency – perfect for modern professional needs.

#### TOWARDS LOWER CONSUMPTION

ILLUMINATION	1,60 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	900x510x840 mm
CAPACITY	Liters (Gross)	196
TEMPERATURE	°C	+2°C - +10°C
SHELVES		4   Adjustable Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Aluminum



**ECOFRIDGE**  
Cooling Solutions



# BB320 ECO

## Back Bar Cooler



### A Cooler with low energy consumption

Ideal height for under counter. Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.

#### FEATURES

DOOR LOCK	✓
DOOR TYPE	✓ 3 Doors/Sliding
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

CONSUMPTION	1,90 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1350x536x840 mm
CAPACITY	Liters (Gross)	304
TEMPERATURE	°C	+2°C - +10°C
SHELVES		6   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Aluminum

# Slim 220 WOC

## Slim Cooler



**Slim Cooler ideal for beverages, sandwiches, sweets, specially designed to fit everywhere.**

Including electronic thermostat, Led lighting, & easy to place / adjust shelves.



FEATURES	
DOOR LOCK	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	420x485x1880 mm
CAPACITY	Liters (Gross)	220
TEMPERATURE	°C	+2°C - +8°C
SHELVES		6
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R600   Environmental friendly

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black





# SLIM 200 WOC

## Beverage Cooler – Perfect for Narrow Spaces

Our new beverage cooler is designed to fit even in the tightest spaces, while offering maximum performance in a compact size. Ideal for soft drinks, sandwiches, desserts, and packaged products.

- Dynamic cooling system for stable temperature with no internal humidity
- Double safety glass for durability and consistent cooling
- LED lighting for excellent product visibility
- Magnetic door switch – stops the fan when the door opens, reducing cooling loss
- Reinforced shelves for strength and flexibility
- Energy Class C – Certified efficiency

A cooler that combines practicality, strength, and smart features, making it the perfect choice for professionals with limited space.

### FEATURES

DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	2.90 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	390 × 560 × 1850 mm
CAPACITY	Liters (Gross)	188
TEMPERATURE	°C	2°C - 8°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# SLIM 320

## Vertical Display Cooler



**Ideal cooler for soft drinks, sandwiches, sweets, packaged, designed to fit even in narrow spaces along with extra depth for better loading.**

It has a dynamic mechanism for better performance (without internal humidity), led lighting, double safety glass and an energy certificate.



FEATURES	
DOOR LOCK	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	450x497x1881 mm
CAPACITY	Liters (Gross)	260
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Mechanical
REFRIGERANT		R600a

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black





# SLIM 340

## Vertical Display Cooler

**Ideal cooler for soft drinks, sandwiches, sweets, packaged, designed to fit even in narrow spaces along with extra depth for better loading.**

It has a dynamic mechanism for better performance (without internal humidity), led lighting, double safety glass and an energy certificate.



### FEATURES

DOOR LOCK	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	440x540x1900 mm
CAPACITY	Liters (Gross)	280
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black





# CL380S

## Beverage cooler

### Beverage cooler with external illuminated canopy.

Including internal thermometer display, door switch (stops fan upon door opening), heat insulated glasses for lower consumption & easy to place / adjust shelves.



FEATURES	
DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
TEMPERATURE DISPLAY	✓ Analogue thermometer

TOWARDS LOWER CONSUMPTION	
CONSUMPTION	✓ 2.84 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	600×620×2000 mm
CAPACITY	Liters (Gross)	382
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Analogue
REFIGERANT		R600a   Environmental friendly

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	● ○	Grey bottom grid & door   White cabinet
INTERNAL CABINET COLOR	○	White



# CL380S Black

## Beverage cooler

**Beverage cooler with external illuminated canopy.**

Including internal thermometer display, door switch (stops fan upon door opening), heat insulated glasses for lower consumption & easy to place / adjust shelves.



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
TEMPERATURE DISPLAY	✓ ANALOGUE THERMOMETER

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	600×630×2000 mm
CAPACITY	Liters (Gross)	382
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Analogue
REFRIGERANT		R600a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



# CB380S 1.8

## Frameless Cooler

**CGlass door cooler**  
**Beverage cooler without top canopy at 1.8m.**

Including heat insulated glasses for lower energy consumption & easy to place / adjust shelves.



### FEATURES

DOOR LOCK	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 2.84 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	590×610×1800 mm
CAPACITY	Liters (Gross)	382
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Analogue
REFIGERANT		R600a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	● ○	Grey bottom grid & door   White cabinet
INTERNAL CABINET COLOR	○	White





# CB400 Curved

## Beverage Cooler

**Premium all black beverage cooler with curved door(& glass) and external lighting curved canopy**

Including door switch (stops fan upon door opening), special thermal insulated glasses for lower consumption & electronic thermostat.



### ΕΠΙΠΛΕΟΝ

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
HUMID FREE GLASS	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 1.74 kWh/24h
LIGHT SWITCH	✓
LOW EMISSIVITY GLASSES	✓ Low emmissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	595x625x1980 mm
CAPACITY	Liters (Gross)	372
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black





# CB400 Blind

## Blind Cooler

**Cooler for lower energy consumption with blind door.**

Including door switch (stops fan upon door opening), electronic thermostat & light switch activated with opening door.



### FEATURES

DOOR LOCK	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 1.75 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	595x640x1840 mm
CAPACITY	Liters (Gross)	358
TEMPERATURE	°C	+0°C - +8°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	○	White



# TC400W

## Commercial Cooler for Wine

**Wine Cooler with 6 horizontal wood shelves and frameless door for better product visibility.**

Including special heated insulated glasses for lower Consumption, Led illumination & electronic thermostat for ideal wine temperature



FEATURES	
DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	595×615×1850 mm
CAPACITY	Liters (Gross)	382
TEMPERATURE	°C	+5°C - +20°C
SHELVES		6 Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R600a

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



# CB430V

## Maintenance Showcase

**Soft drinks fridge with external illuminated field.**

With electronic thermostat, switch for cabin led, special heat-insulating double glazing (low emmissivity) for lower energy consumption and easy-to-install shelves. Very fast cooling!

It has a reduced noise level, 4 wheels, 2 with brakes and an energy certificate.



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
TEMPERATURE DISPLAY	✓

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	625×585×1980 mm
CAPACITY	Liters (Gross)	380
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5   Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White



# CBF400S Canopy

## Static with Canopy

**Vertical static freezer with fixed (Not adjustable) shelves \*5.**

including door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free performance while incorporates easy to place.

Also includes Mechanical Thermostat and analogue display



FEATURES	
DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓ ANALOGUE THERMOMETER

TOWARDS LOWER CONSUMPTION	
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	640 x 640 x 2030 mm
CAPACITY	Liters (Gross)	361
TEMPERATURE	°C	-18°C - -24°C
SHELVES		5   Not adjustable shelves
THERMOSTAT	(Digital-Manual)	Mechanical
REFIGERANT		R290   Environmental friendly

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White





# CB400 SZ

## Beer Cooler

**Subzero cooler with enhanced insulation for reaching temperatures below 0 °C.**

Including thermal insulated glasses, Extra strong mechanism & electronic thermostat for accurate temperature set point adjustments.



FEATURES	
DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
CONSUMPTION	✓ 4.20 kWh/24h
LIGHT SWITCH	✓
LOW EMISSIVITY GLASSES	✓ Low Emmisivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	595x640x1980 mm
CAPACITY	Liters (Gross)	368
TEMPERATURE	°C	-2°C - +2°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R600a   Environmental friendly

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black   pre-painted metal sheet
INTERNAL CABINET COLOR	○	White   Plastic



# CB450 Oinotech

## WINE COOLER 458lt

### Frameless Wine Cooler – Single Zone with 8 Wooden Shelves

An exceptionally elegant wine cooler, designed for both wine enthusiasts and HoReCa professionals. A premium single-zone model, suitable for freestanding or built-in installation, combining refined aesthetics, advanced technology and absolute functionality. The frameless glass door combined with 8 beechwood shelves ensures stability, optimal presentation and ideal wine storage conditions, highlighting each bottle with understated luxury.

- **Electronic thermostat** for precise and reliable temperature control
- **Capacity: 190 bottles (0.75L)** with alternating storage
- **Beechwood shelves** with integrated **stop mechanism**, allowing safe partial extension for easy loading and access
- **Ultra-low noise level: only 38 dB**
- **Blue LED lighting x2** for elegant and discreet presentation
- Premium **Embraco compressor**
- **Inverter system** for stable performance and energy efficiency
- **Triple-glazed glass** with **Low-E coating** and **UV protection film**, ensuring excellent insulation and protection from ultraviolet light

**Operating conditions:** 25°C / 60% Relative Humidity

#### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	0.51 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
LOW NOISE LEVEL	✓ 38dB
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	598 × 680 × 1818 mm
CAPACITY	Liters (Gross)	458
TEMPERATURE	°C	5°C - 20°C
SHELVES		8
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions





# CB450 Oinotech Dual

## WINE COOLER 458lt

### Frameless Dual Zone Wine Cooler with 14 Wooden Shelves

A high-end wine cooler designed for demanding wine lovers and HoReCa professionals who require **maximum control and flexibility**. This **dual-zone premium model** is suitable for freestanding or built-in installation and offers perfect storage conditions for different wine varieties at the same time.

The frameless door design combined with **14 beechwood shelves** delivers excellent stability, ergonomic access and superior presentation, allowing different wines to be stored at **independently controlled temperatures**.

- **Two independent cooling zones** for simultaneous storage of red and white wines
- Electronic thermostat for accurate and reliable temperature control **per zone**
- Capacity: **188 bottles (0.75L)** with alternating storage
- **15 beechwood shelves** with integrated stop system for safe partial extension and easy bottle loading
- Ultra-low noise level: only **38 dB**
- **LED lighting x3** for uniform and elegant interior illumination
- Premium **Embraco compressor**
- **Inverter technology** for stable operation and reduced energy consumption
- **Triple-glazed glass with Low-E coating and UV** protection film, providing superior insulation and a stable internal microclimate

**Operating conditions:** 25°C / 60% Relative Humidity

#### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	0.51 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
LOW NOISE LEVEL	✓ 38dB
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	598 × 680 × 1818 mm
CAPACITY	Liters (Gross)	458
TEMPERATURE	°C	Upper 5-12°C - Lower 12-20°C
SHELVES		14
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions





# CBF500

## Vertical glass door freezer

**Vertical ventilated freezer with adjustable shelves.**

Including door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free Performance.

Also includes 2 vertical sets of Led (Left/Right) for enhanced products ILLUMINATION & Smart Electronic thermostat for exact set point adjustment.



FEATURES	
DOOR LOCK	✓
HEATED DOOR GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
CONSUMPTION	✓ 14.44 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	670 x 710 x 2026 mm
CAPACITY	Liters (Gross)	470
TEMPERATURE	°C	-18°C - -24°C
SHELVES		6   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290   Environmental friendly

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White





# CB500 SZ

## Beer Cooler

**Beer Cooler with reinforced insulation & mechanism for temperatures below 0°C**  
 With door switch (stops the fan with the opening of the door) and special heat-insulating glasses for lower consumption & electronic thermostat.



FEATURES	
DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
CONSUMPTION	✓ 6.00 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	680×655×2090 mm
CAPACITY	Liters (Gross)	469
TEMPERATURE	°C	-2°C - +2°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT		Electronic
REFIGERANT		R600a   Environmental friendly

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	○	White



# CB550 SZ

## Beer Cooler 550lts



Beer Cooler with reinforced insulation & mechanism for temperatures till  $-4^{\circ}\text{C}$

Special heat-insulating glasses for lower consumption & electronic thermostat.

Important note : Operates with resistance for defrost !

Condition :  $+40^{\circ}\text{C}/75\%RH$



### FEATURES

DOOR LOCK	✓
DOOR TYPE	✓
DOUBLE SAFETY GLASS	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	690×720×1975 mm
CAPACITY	Liters (Gross)	550
TEMPERATURE	$^{\circ}\text{C}$	$-4^{\circ}\text{C} - 0^{\circ}\text{C}$
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black

# CBF550 EVOLINE

## Upright Freezer with Air Circulation – Professional Performance & Energy Saving

The new upright air freezer delivers top cooling performance, ergonomic design, and low energy consumption, making it the perfect choice for professional use.

- Adjustable shelves for flexible product storage
- Door switch – stops the fan when the door is opened to minimize cooling loss
- Heated anti-fog glass to prevent condensation
- Dual vertical LED lighting (right & left) for uniform product presentation
- HOTGAS defrost system for maximum efficiency
- Self-closing door & low noise level for convenient use
- Energy certified for reliable operation
- Operating Conditions: 32 °C / 65% Relative Humidity

The Evoline cooler can be perfectly combined with other models of the same series, creating a consistent and stylish professional display in your space.

### FEATURES

DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	10.30 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	680 × 730 × 2020 mm
CAPACITY	Liters (Gross)	482
TEMPERATURE	°C	-18°C - 24°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# CB600 WOC EVOLINE

## Evoline Beverage Cooler – Elegance & Reliability

Upgrade your space with the new Evoline beverage cooler, designed for modern aesthetics, low energy consumption, and ultra-quiet operation. Perfect for HoReCa businesses, professional offices, and retail points.

- Energy Class C – certified efficiency
- Large capacity to fit a wide range of products
- Dixell electronic thermostat for precise temperature control
- Reinforced shelves for extra durability
- Dual LED lighting (right & left) for uniform product presentation
- Operating Conditions (Tropical): 40 °C / 70% Relative Humidity

The Evoline cooler can be perfectly combined with other models of the same series, creating a consistent and stylish professional display in your space.



### FEATURES

DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	3.90 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	685 × 700 × 2025 mm
CAPACITY	Liters (Gross)	532
TEMPERATURE	°C	1°C - 10°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions





# CB625 WOC

## Cooler

**Premium soft drinks cooler for outdoor and indoor use.**

Its design and color make it ideal for highly aesthetic areas. With special heat-insulating glass for lower energy consumption and easy-to-install shelves. With double anti-glare safety glass, reduced noise level, led lighting and energy certificate. Designed for operation up to 40°C ambient temperature.



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	621×680×2136 mm
CAPACITY	Liters (Gross)	600
TEMPERATURE	°C	0°C - +10°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Mechanical
REFRIGERANT		R600a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black





# CB700

## Premium all black beverage cooler

Including door switch (stops fan upon door opening), special thermal insulated glasses for lower Consumption & electronic thermostat



FEATURES	
DOOR LOCK	✓
DOOR TYPE	✓
DOUBLE SAFETY GLASS	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
CONSUMPTION	✓ 4.20 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	800×710×2130 mm
CAPACITY	Liters (Gross)	655
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a   Environmental friendly



COLORS AVAILABILITY	BLACK   WHITE	BLACK   WHITE
EXTERNAL CABINET COLOR	● ○	Black   White
INTERNAL CABINET COLOR	● ○	Black   White

# CB900 HD

## Beverage Cooler



**Double (Hinged) glass door cooler with external top canopy.**

Including door switch (stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement / positioning).

### OPTIONAL

Electronic  
Thermostat



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 6.87 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1100×730×2000 mm
CAPACITY	Liters (Gross)	962
TEMPERATURE	°C	+2°C - +8°C
SHELVES		4   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Analogue
REFRIGERANT		R290a   Environmental friendly

### COLORS AVAILABILITY

	BLACK   WHITE		BLACK   WHITE	
EXTERNAL CABINET COLOR	● ●	○ ●	Black	White with black grid & door frame
INTERNAL CABINET COLOR	○	○	White	White

# CB900 HD GROCERY

## Grocery cooler

A Double (Hinged) glass door cooler with external top luminated canopy.

Including thermal insulated glasses for lower consumption , led lighting, electronic thermostat.



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 6.87 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1100×730×2000 mm
CAPACITY	Liters (Gross)	962
TEMPERATURE	°C	+2°C - +8°C
SHELVES		4   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Analogue
REFIGERANT		R290a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black bottom grid   door   cabinet
INTERNAL CABINET COLOR	○	White

# CB900 SD

## Beverage Cooler



**A Double (sliding) glass door cooler with external top canopy.**

Including special insulated glasses for lower consumption & open door stand position for Practical / faster refill.

### OPTIONAL

Electronic  
Thermostat



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 5.49 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emissivity
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1100×680×2000 mm
CAPACITY	Liters (Gross)	852
TEMPERATURE	°C	+2°C - +8°C
SHELVES		4   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Analogue
REFIGERANT		R290a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	○	White

# CB1000HD Black

## Beverage Cooler



**A double (Hinged) glass door cooler Cooler with external top luminated canopy.**

Including special thermal insulated glasses for lower consumption, led lighting, electronic thermostat.



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
DOORS	✓ 2 doors/Hinged
SELF CLOSING DOOR	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1120×585×1900 mm
CAPACITY	Liters (Gross)	825
TEMPERATURE	°C	+0°C - +8°C
SHELVES		5+5
THERMOSTAT	(Digital-Manual)	Ηλεκτρονικός
REFIGERANT		R290

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black (pre-painted metal sheet)
INTERNAL CABINET COLOR	○	White (pre-painted Aluminium)

# CB1100 ECO

(White) Double Door  
Vertical Display 1000lt

**Premium Cooler with double doors opening all glass (tempered) to the bottom for a better display of the products!**

The Cooler is designed and checked for tropical conditions (Type: T-Tropical) with very low energy consumption, double condenser mechanism and energy certificate B (energy class)!!!! It also has a low depth and allows you to make it built-in and perfectly match the architecture of the space.

Contains: LEDs on the sides of the refrigerator and on the top, reinforced shelves (5+5), reinforced insulation & mechanism, front legs for better stability and placement of the refrigerator. Ideal refrigerator with reduced noise level for elegant spaces with special requirements!

Contains: LEDs on the sides of the refrigerator and on the top, reinforced shelves (5+5), reinforced insulation & mechanism, front legs for better stability and placement of the refrigerator. Ideal refrigerator with reduced noise level for elegant spaces with special requirements!

## FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

## TOWARDS LOWER CONSUMPTION

LIGHTING	✓ Led
LIGHT SWITCH	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓



## SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1200×585×1980 mm
CAPACITY	Liters (Gross)	1000
TEMPERATURE	°C	2°C - +10°C
SHELVES		5 + 5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

## COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White



**ECOFRIDGE**  
Cooling Solutions



# CB1200 HD WOC

## Cooler



### Double (Hinged) Frameless glass door cooler with energy class C !

Including : New special (4) castors with built-in adjustable feet (front 2) for heavy use and designed not to damage the floor. There is also 1 adjustable foot in the middle of the refrigerator for better stability. Heavy duty shelves, with high density for better stability of beverages. New grid with holes for a better aesthetic effect and operation of the refrigerator. Reduced noise level. Special heat-insulating double layer glass door (low emmissivity) for lower consumption. Tempered safety glass. Electronic thermostat. LED lighting\*3 where it covers the entire refrigerator from top to bottom. Energy certificate.

Important note : The refrigerator is tested at 38°C/70%RH

#### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓



#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1215×730×2020 mm
CAPACITY	Liters (Gross)	1078
TEMPERATURE	°C	+2°C - +10°C
SHELVES		5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	○	White

**ECOFRIDGE**  
Cooling Solutions



# CB1250 HD

## Cooler

### Cooling refrigerator with double aluminum doors

Energy class D, with reinforced insulation & mechanism.

#### Features:

New wheels with integrated adjustable foot (the front 2) for heavy use. Shelves that withstand heavy loads and do not bend. Evaporator with copper pipes. Reduced noise level. Special heat-insulating double glazing (low emmissivity) for lower consumption. Tempered safety glass. Elitech electronic thermostat LED lighting\*2 that covers the entire refrigerator from top to bottom. Energy certificate.



#### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓



#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1250×705×2050 mm
CAPACITY	Liters (Gross)	1000
TEMPERATURE	°C	+2°C - +10°C
SHELVES		5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black

**ECOFRIDGE**  
Cooling Solutions



# CL 1300 HD 1200lt

## Cooler



### Double (Hinged) glass door cooler.

Including door switch(stops fan upon door opening),special heat insulated glasses for lower consumption & easy shelves placement/positioning).



#### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1200×736×2009 mm
CAPACITY	Liters (Gross)	1200
TEMPERATURE	°C	+2°C - +10°C
SHELVES		4 Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290a

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black

# CB1350 HD WOC EVO LINE

Display Cooler with Two Hinged Doors – Evoline Series – Energy Class C

Professional refrigerator from the Evoline Series, featuring two hinged glass doors, reinforced insulation, and a powerful cooling system. Designed for heavy-duty use, it ensures durability, energy efficiency, and excellent functionality.

- New heavy-duty (4) wheels
- High-density shelves that withstand heavy loads without bending
- New perforated grille for improved aesthetics and cooling performance
- Low noise level for quiet operation
- Special insulated double glass (low emissivity) for reduced energy consumption
- Tempered safety glass
- Electronic thermostat for precise temperature control
- 3x LED lights in an internal vertical channel covering the full height
- Energy certification

**Operating conditions:**  
(tested): 38°C / 70% RH

**Packaging Dimensions:**  
1390\*755\*2100 mm / 152 kg



## FEATURES

CONSUMPTION	✓ 7,35 KW/24H
LIGHT SWITCH	✓ Led
DOUBLE SAFETY GLASS	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
ENERGY LABEL CERTIFICATE	✓

## SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1350×730×2020 mm
CAPACITY	Liters (Gross)	1147
TEMPERATURE	°C	+1°C / +10°C
SHELVES		5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290

## COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# CB1350 HD WOC EVO LINE GROCERY



Grocery Display Cooler with Two Hinged Doors – Evoline Series – Energy Class C

**Professional cooler from the Evoline Series, featuring two hinged glass doors, reinforced insulation, and a powerful cooling system.**

- New heavy-duty (4) castor wheels
- High-density shelves designed to withstand heavy loads without bending
- New perforated grille for improved appearance and airflow performance
- Adjustable air rheostat for precise airflow control
- Low noise level
- Special double thermal-insulated glass (low emissivity) for reduced energy consumption
- Tempered safety glass
- Electronic thermostat for accurate temperature control
- LED lighting \*3 in internal vertical channel from top to bottom
- Energy certification included

### Operating conditions:

(tested): 38°C / 70% RH

### Packaging Dimensions:

1390\*755\*2100 mm / 152 kg

#### FEATURES

CONSUMPTION	✓ 7,35 KW/24H
LIGHT SWITCH	✓ Led
DOUBLE SAFETY GLASS	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1350×730×2020 mm
CAPACITY	Liters (Gross)	1147
TEMPERATURE	°C	+1°C / +10°C
SHELVES		5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# CB1400

## Beverage Cooler

A Double (Hinged) glass door cooler with external top luminated canopy.

Including thermal insulated glasses for lower consumption, led lighting, electronic thermostat.



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	4,20 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1330x760x1998 mm
CAPACITY	Liters (Gross)	1400
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5+5 Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black

**ECOFRIDGE**  
Cooling Solutions



# CB1600 HD

## Beverage Cooler



**Premium Triple (Hinged) glass door cooler with external top canopy.**

Including smart electronic thermostat for exact temperature set point adjustment & an energy saving mode (Turn off lights + increase cabinet temperature), activated when needed. Also includes door switch (stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement / positioning) Suitable for placement in any premium outlet.



### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 5.22 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
AUTOMATIC FAN STOP	✓ When door opens
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1600×736×2042 mm
CAPACITY	Liters (Gross)	1455
TEMPERATURE	°C	+2°C - +8°C
SHELVES		12   (3 per door)   Reinforced   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic (With energy saving mode)
REFRIGERANT		R290

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black

# CB1800 HD WOC

## Display Cooler



**Double (Hinged) Frameless glass door cooler.**

New special (6) castors with built-in adjustable feet (front 3) for heavy use and designed not to damage the floor. There is also 1 adjustable foot in the middle of the refrigerator for better stability. Heavy duty shelves, with high density for better stability of beverages. New grid with holes for a better aesthetic effect and operation of the refrigerator. Reduced noise level. Special heat-insulating double layer glass door (low emmissivity) for lower consumption. Tempered safety glass. Electronic thermostat. LED lighting\*4 where it covers the entire refrigerator from top to bottom. Energy certificate.

### FEATURES

DOOR LOCK	✓
DOUBLE SAFETY GLASS	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1830×700×2020 mm
CAPACITY	Liters (Gross)	1455
TEMPERATURE	°C	+2°C - +8°C
SHELVES		5+5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	○	White



**ECOFRIDGE**  
Cooling Solutions



# Ecool 800



Enjoy a highly aesthetic cooler with energy rating B, designed for very low noise operation—ideal for workplaces and HoReCa outlets.

Premium Frameless soft drink cooler with full glass door for perfect display of your products and high impulse

- Embraco inverter compressor for very low consumption
- Very large capacity
- Special thermal insulation double glazing (low emmissivity) for lower consumption,
- Dixell electronic thermostat
- Specially reinforced shelves
- LED lighting
- Energy certificate.
- Tropical Operating Conditions: 40 °C/70% Relative Humidity.



## FEATURES

DOOR LOCK	✓
DOOR TYPE	✓
DOUBLE SAFETY GLASS	✓
ENERGY LABEL CERTIFICATE	✓

## TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

## SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	790×700×2016 mm
CAPACITY	Liters (Gross)	711
TEMPERATURE	°C	2°C - 8°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

## COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



# Ecool 1400



Enjoy a highly aesthetic cooler with energy rating C, ideal for HoReCa outlets.

Premium Frameless soft drink cooler with full glass door for perfect display of your products and high impulse

- Embraco compressor
- Very large capacity
- Special thermal insulation double glazing (low emmissivity) for lower consumption,
- Dixell electronic thermostat
- Specially reinforced shelves
- LED lighting
- Energy certificate.
- Tropical Operating Conditions: 40°C/70% Relative Humidity.



## FEATURES

DOOR LOCK	✓
DOOR TYPE	✓
DOUBLE SAFETY GLASS	✓
ENERGY LABEL CERTIFICATE	✓

## TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

## SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1245×730×2016 mm
CAPACITY	Liters (Gross)	1190
TEMPERATURE	°C	2°C - 8°C
SHELVES		5 + 5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

## COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black

# Ecool Combo



Enjoy a combination of coolers for a 2-meter space coverage, high aesthetics, designed for very low noise operation—ideal for workplaces and HoReCa points.

**Premium Frameless soft drink cooler with full glass door for perfect display of your products and high impulse**

- Embraco inverter compressor for very low consumption
- Very large capacity
- Special thermal insulation double glazing (low emmissivity) for lower consumption,
- Dixell electronic thermostat
- Specially reinforced shelves
- LED lighting
- Energy certificate.

Tropical Operating Conditions:  
40 °C/70% Relative Humidity.

## FEATURES

DOOR LOCK	✓
DOOR TYPE	✓
DOUBLE SAFETY GLASS	✓
ENERGY LABEL CERTIFICATE	✓

## ΓΙΑ ΧΑΜΗΛΟΤΕΡΗ ΚΑΤΑΝΑΛΩΣΗ

CONSUMPTION	✓ 4,94 KW/24H
LIGHTING	✓ Led
LIGHT SWITCH	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
ENERGY LABEL CERTIFICATE	✓

## SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	2035×700×2160 mm
CAPACITY	Liters (Gross)	1900
TEMPERATURE	°C	2°C - 8°C
SHELVES		5+5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290a

## COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions





# CB390S 1.9 WOC BL

**Beverage cooler without a Canopy, with an aluminum door!**

With special thermal insulation glass for lower energy consumption, shelves reinforced with profiles for prices.

With double safety glass, anti-glare glass and reduced noise level.

With LED lighting (vertical in the refrigerator cabinet) and energy certificate (C).

Operating Conditions: 32 °C/65% Relative Humidity.



## FEATURES

DOOR LOCK	✓
DOOR TYPE	✓
DOUBLE SAFETY GLASS	✓
ENERGY LABEL CERTIFICATE	✓

## TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
CONSUMPTION	3.90 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

## SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	540×580×1920 mm
CAPACITY	Liters (Gross)	375
TEMPERATURE	°C	2°C - 8°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

## COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black





# CB375 WOC Black

## Beverage Cooler 1.80m – Energy Class B

Discover the new professional beverage cooler without canopy, 1.80m high – the perfect choice for cafés, mini markets, and food service businesses looking for reliability, energy efficiency, and excellent product presentation.

- Fast cooling with electronic thermostat for precise control.
- Vertical LED lighting for uniform and impressive display

With low noise levels and certified energy efficiency, this cooler is the ideal professional solution.

Packaging Dimensions (mm/kg):

625 × 580 × 1830 / 66.1kg

Operating Conditions: 32 °C / 65% Relative Humidity

### FEATURES

DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	1.29 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	595 × 560 × 1795 mm
CAPACITY	Liters (Gross)	380
TEMPERATURE	°C	2°C - 8°C
SHELVES		4 +1(bottom)
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions





# CB375 WOC Black/White

## Beverage Cooler 1.80m – Energy Class B

Discover the new professional beverage cooler without canopy, 1.80m high – the perfect choice for cafés, mini markets, and food service businesses looking for reliability, energy efficiency, and excellent product presentation.

- Fast cooling with electronic thermostat for precise control.
- Vertical LED lighting for uniform and impressive display

With low noise levels and certified energy efficiency, this cooler is the ideal professional solution.

Packaging Dimensions (mm/kg):

625 × 580 × 1830 / 66.1kg

Operating Conditions: 32 °C / 65% Relative Humidity

### FEATURES

DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

### TOWARDS LOWER CONSUMPTION

LIGHTS	Led
CONSUMPTION	1.29 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	595 × 560 × 1795 mm
CAPACITY	Liters (Gross)	380
TEMPERATURE	°C	2°C - 8°C
SHELVES		4 +1(bottom)
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	○	White



**ECOFRIDGE**  
Cooling Solutions



# CB1880 PREMIUM

Cooler with three large Frameless hinged doors! Energy class C!



**Ψυγείο με τρεις μεγάλες πόρτες Frameless! Ανοιγόμενες και ενεργειακή κλάση C!**

With reinforced insulation & HOT GAS defrosting! Operating temperature -1°C/+10°C.

Features:

- New special (4) front wheels with integrated adjustable feet for heavy use, designed not to damage the floor and 4 regular rear wheels
- Shelves for heavy duty and new grid with holes for a better aesthetic result and operation of the refrigerator.
- Reduced noise level.
- Evaporator & Condenser with copper ends
- 3 Fans for fast cooling
- Special heat-insulating double glazing (low emmissivity) for lower consumption
- Tempered safety glass
- Electronic thermostat
- Vertical 4\* led lighting covering the entire refrigerator
- Energy certificate.

Note: The refrigerator is tested at 25°C/60%RH

## FEATURES

CONSUMPTION	✓ 7,80 KW/24H
LIGHT SWITCH	✓ Led
DOUBLE SAFETY GLASS	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
ENERGY LABEL CERTIFICATE	✓

## SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1880×690×2030 mm
CAPACITY	Liters (Gross)	1600
TEMPERATURE	°C	-1°C / +10°C
SHELVES		5+5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

## COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# CB1800 HD WOC EVO LINE

Triple (Hinged) glass door cooler with energy class C!



## Including:

- New special (6) castors with built-in adjustable feet (front 3) for heavy use and designed not to damage the floor.
- There is also 1 adjustable foot in the middle of the refrigerator for better stability.
- Heavy duty shelves, with high density for better stability of beverages.
- New grid with holes for a better aesthetic effect and operation of the refrigerator.
- Reduced noise level.
- Special heat-insulating double layer glass door (low emmissivity) for lower consumption
- Tempered safety glass
- Electronic thermostat
- LED lighting\*4 where it covers the entire refrigerator from top to bottom
- Energy certificate.

## Important note:

The refrigerator is tested at 38°C/70%RH

### FEATURES

CONSUMPTION	✓ 5,22 KW/24H
LIGHT SWITCH	✓ Led
DOUBLE SAFETY GLASS	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1830×700×2020 mm
CAPACITY	Liters (Gross)	1587
TEMPERATURE	°C	2°C / 8°C
SHELVES		5+5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions



# CB2500 PREMIUM

Energy Class D  
2000lt

**Cooler with four large  
Frameless hinged doors!  
Energy class D!**

With reinforced insulation  
& HOT GAS defrosting!  
Operating temperature  
-1°C / +10°C

Features:

- New special (6) front wheels with integrated adjustable feet for heavy use ,designed not to damage the floor and 6 regular rear wheels
- Shelves for heavy duty and new grid with holes for a better aesthetic result and operation of the refrigerator.
- Reduced noise level.
- Evaporator & Condenser with copper ends
- 4 Fans & 2 compressors for fast cooling
- Special heat-insulating double glazing (low emissivity) for lower consumption
- Tempered safety glass
- Electronic thermostat
- Vertical 6\* led lighting covering the entire refrigerator
- Energy certificate.

Note: The refrigerator is tested at 25°C/60%RH



FEATURES	
CONSUMPTION	✓ 12 KW/24H
LIGHT SWITCH	✓ Led
DOUBLE SAFETY GLASS	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	2580×690×2030 mm
CAPACITY	Liters (Gross)	2000
TEMPERATURE	°C	-1°C / +10°C
SHELVES		5+5+5+5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black



**ECOFRIDGE**  
Cooling Solutions





# CBF345V WOC

## Slim Freezer 213lts

### Freezer – Slim Design for Narrow Spaces

A stylish and efficient freezer, specially designed for locations with limited width. Ideal for the display and safe storage of frozen products in professional environments.

- Dynamic freezing system for stable and uniform temperature
- Hot Gas defrost system for maximum efficiency and reduced maintenance time
- Heated glass panels to prevent condensation and ensure clear visibility
- Lock for secure product storage
- Double safety glass for enhanced durability and excellent thermal insulation
- Electronic thermostat Elitech LTC-900 PLUS for precise and reliable temperature control
- LED lighting for clear and attractive product presentation
- Energy certification for efficient and reliable operation

FEATURES	
DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

TOWARDS LOWER CONSUMPTION	
LIGHTS	Led
CONSUMPTION	7.60 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	460 × 610 × 1820 mm
CAPACITY	Liters (Gross)	213
TEMPERATURE	°C	-18°C - 24°C
SHELVES		5
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290a

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	Black





# CBF500V

## (Ventilated) Black Vertical glass door freezer

**Vertical ventilated freezer with adjustable shelves.**

Including door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free Performance.

Also includes 2 vertical sets of Led (Left/Right) for enhanced products ILLUMINATION & Smart Electronic thermostat for exact set point adjustment.



### FEATURES

DOOR LOCK	✓
HEATED GLASSES	✓
DOOR TYPE	✓
SELF CLOSING DOOR	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
CONSUMPTION	14.44 kWh/24h
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
AUTOMATIC FAN STOP	✓ WHEN DOOR OPENS
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	670 x 710 x 2026 mm
CAPACITY	Liters (Gross)	496
TEMPERATURE	°C	-18°C - -24°C
SHELVES		6
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R404a/R290

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	○	White

# CL400 DAC

## Horizontal freezer



### Horizontal freezer static 1.3 m. with 2 sliding curved windows.

A freezer with better presentation of products with safety glass, anti-fog, thermal insulation (low emmissivity) for low consumption, reduced noise level and energy certificate.



#### FEATURES

DOOR LOCK	✓
SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓

#### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1305 x 635 x 980 mm (including wheels)
CAPACITY	Liters (Gross)	393
TEMPERATURE	°C	-15°C / -23°C
SHELVES		2
THERMOSTAT	(Digital-Manual)	Mechanical
REFIGERANT		R290   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White



# CL600 2.0m +

## Horizontal chest freezer



### Horizontal static freezer with 2 sliding glass lids.

This model includes Led ILLUMINATION & baskets inside. Including special heat insulated glasses for lower consumption & temperature thermometer display.



#### FEATURES

DOOR LOCK	✓
SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓
DISPLAY TEMPERATURE	✓ Analogue thermometer

#### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 5.41 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	2050 x 630 x 830 mm (including wheels)
CAPACITY	Liters (Gross)	672
TEMPERATURE	°C	≤-18°C
SHELVES		6
THERMOSTAT	(Digital-Manual)	Analogue
REFRIGERANT		R290   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input checked="" type="radio"/>	Aluminum

# CBF500H GRAY 1.5m

## Horizontal chest freezer



### Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display .

FEATURES	
DOOR LOCK	✓
CURVED GLASSES	✓
SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMISSIVITY
ENERGY LABEL CERTIFICATE	✓



SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	1475 x 757 x 858 mm (including wheels)
CAPACITY	Liters (Gross)	500
TEMPERATURE	°C	≤-18°C
SHELVES		5   Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290   Environmental friendly


**ECOFRIDGE**  
Cooling Solutions



COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Gray
INTERNAL CABINET COLOR	○	White

# CBF700H GRAY 2.0m

## Horizontal chest freezer



**Horizontal static freezer with 2 sliding curved glass lids.**

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display .

FEATURES	
DOOR LOCK	✓
CURVED GLASSES	✓
SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
ENERGY LABEL CERTIFICATE	✓



SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	2000 x 757 x 858 mm (including wheels)
CAPACITY	Liters (Gross)	700
TEMPERATURE	°C	≤-18°C
SHELVES		6   Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290   Environmental friendly

**ECOFRIDGE**  
Cooling Solutions



COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Gray
INTERNAL CABINET COLOR	○	White

# CBF500H 1.5m

## Horizontal chest freezer



### Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display .

FEATURES	
DOOR LOCK	✓
CURVED GLASSES	✓
SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
CONSUMPTION	✓ 6.87 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
ENERGY LABEL CERTIFICATE	✓



SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	1475 x 757 x 858 mm (including wheels)
CAPACITY	Liters (Gross)	500
TEMPERATURE	°C	≤-18°C
SHELVES		5   Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290   Environmental friendly

**ECOFRIDGE**  
Cooling Solutions



COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White

# CBF700H 2.0m

## Horizontal chest freezer



### Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display .

FEATURES	
DOOR LOCK	✓
CURVED GLASSES	✓
SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
CONSUMPTION	✓ 6.87 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓ Low emmissivity
ENERGY LABEL CERTIFICATE	✓



SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	2000 x 757 x 858 mm (including wheels)
CAPACITY	Liters (Gross)	700
TEMPERATURE	°C	≤-18°C
SHELVES		6   Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290   Environmental friendly

**ECOFRIDGE**  
Cooling Solutions



COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White

# CBF1000H 2.5m

## Horizontal freezer



### Horizontal freezer static 2.5 m. with 2 sliding curved windows and defrosting with hot gas!

A freezer with better presentation of products with safety glass, anti-fog, thermal insulation (low emmissivity) for low consumption, reduced noise level and energy certificate. It has an electronic thermostat for accurate temperature regulation and 2 Compressors for faster and better cooling.



#### FEATURES

DOOR LOCK	✓
CURVED GLASSES	✓
SAFETY GLASS	✓
DOOR TYPE	✓
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
LOW EMISSIVITY GLASSES	✓ LOW EMMISIVITY
ENERGY LABEL CERTIFICATE	✓

#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	2500 x 850 x 850mm (including wheels)
CAPACITY	Liters (Gross)	1000
TEMPERATURE	°C	≤-18°C
SHELVES		6   Reinforced
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	White
INTERNAL CABINET COLOR	<input type="radio"/>	White

**ECOFRIDGE**  
Cooling Solutions



# COUNTER CB-150

## Inox Cooler Counter



### Counter cooler with 2 doors.

With a static cooling performance (cooling element inside cabinet walls) & no internal fan.

Electronic thermostat for exact temperature set point adjustment.

This model can work up to -8°C .

#### FEATURES

STATIC COOLING	✓ Cooling cabinet walls
WIDE TEMP. SET POINT RANGE	✓ Adjustable
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 2 kWh/24h
NO INTERNAL FAN	✓
ENERGY LABEL CERTIFICATE	✓



#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1500 x 620 x 800 mm
CAPACITY	Liters (Gross)	208
TEMPERATURE	°C	-8°C - +8°C
SHELVES		1   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	Inox
INTERNAL CABINET COLOR	<input type="radio"/>	Inox

**ECOFRIDGE**  
Cooling Solutions



# COUNTER CB-150V

## Cooler Counter



Counter cooler with 2 doors.

Dynamic Mechanish with internal fan.

Electronic thermostat for exact temperature set point adjustment.

### FEATURES

STATIC COOLING	✓ Cooling cabinet walls
WIDE TEMP. SET POINT RANGE	✓ Abjustable
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

NO INTERNAL FAN	✓
ENERGY LABEL CERTIFICATE	✓



### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1500 x 620 x 800 mm
CAPACITY	Liters (Gross)	208
TEMPERATURE	°C	+2°C - +8°C
SHELVES		1   Abjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R600a   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	Inox
INTERNAL CABINET COLOR	<input type="radio"/>	Inox

**ECOFRIDGE**  
Cooling Solutions



# COUNTER CB-180

## Inox Cooler Counter



### Counter cooler with 3 doors.

With a static cooling performance (cooling element inside cabinet walls) & no internal fan.

Electronic thermostat for exact temperature set point adjustment.

This model can work up to -8C.

#### FEATURES

STATIC COOLING	✓ Cooling cabinet walls
WIDE TEMP. SET POINT RANGE	✓ Adjustable
ENERGY LABEL CERTIFICATE	✓

#### TOWARDS LOWER CONSUMPTION

CONSUMPTION	✓ 2 kWh/24h
NO INTERNAL FAN	✓
ENERGY LABEL CERTIFICATE	✓



#### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	1800 x 620 x 800 mm
CAPACITY	Liters (Gross)	280
TEMPERATURE	°C	-8°C - +8°C
SHELVES		1   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R600a   Environmental friendly

#### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	Inox
INTERNAL CABINET COLOR	<input type="radio"/>	Inox

**ECOFRIDGE**  
Cooling Solutions



# EFC 120

## Cold Displays



Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.



### FEATURES

DOOR LOCK	
DOOR TYPE	✓ 2 Doors/ Sliding
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

ILLUMINATION	2,79 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	702x568x686 mm
CAPACITY	Liters (Gross)	120
TEMPERATURE	°C	0°C - +12°C
SHELVES		2   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black/inox
INTERNAL CABINET COLOR	●	inox

# EFC 160

## Cold Displays



Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.



### FEATURES

DOOR LOCK	
DOOR TYPE	✓ 2 Doors/ Sliding
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

ILLUMINATION	2,84 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	880x568x686 mm
CAPACITY	Liters (Gross)	160
TEMPERATURE	°C	0°C - +12°C
SHELVES		2   Adjustable
THERMOSTAT	(Digital-Manual)	Electronic
REFIGERANT		R290   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black/inox
INTERNAL CABINET COLOR	●	inox

# EFC 200/250

## Cold Displays



Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.



FEATURES	
DOOR LOCK	
DOOR TYPE	✓ 2 Doors/ Sliding
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
ILLUMINATION	3,72 kWh/24h
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		EFC 200		EFC 250
EXTERNAL DIMENSIONS	Width*Depth*Height	1220x568x686 mm		1525x588x686 mm
CAPACITY	Liters (Gross)	200		268
TEMPERATURE	°C	0°C - +12°C		
SHELVES		2   Adjustable		
THERMOSTAT	(Digital-Manual)	Electronic		
REFIGERANT		R290   Environmental friendly		

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	Black/inox
INTERNAL CABINET COLOR	●	inox



# EFH 120

## Heated Displays



Counter top Heated display ideal for preserving the right temperature of your products like bakery products etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.



### FEATURES

DOOR LOCK	
DOOR TYPE	✓ 2 Doors/ Sliding
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

INPUT POWER	1100w
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	678x568x686 mm
CAPACITY	Liters (Gross)	120
TEMPERATURE	°C	30°C - 90°C
SHELVES		3   Adjustable
THERMOSTAT	(Digital-Manual)	Mechanical

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	inox
INTERNAL CABINET COLOR	●	inox

# EFH 160

## Heated Displays

Counter top Heated display ideal for preserving the right temperature of your products like bakery products etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.



### FEATURES

DOOR LOCK	
DOOR TYPE	✓ 2 Doors/ Sliding
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

INPUT POWER	1500w
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	856x568x686 mm
CAPACITY	Liters (Gross)	160
TEMPERATURE	°C	30°C - 90°C
SHELVES		3   Adjustable
THERMOSTAT	(Digital-Manual)	Mechanical

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	inox
INTERNAL CABINET COLOR	●	inox

# EFH 200

## Heated Displays



Counter top Heated display ideal for preserving the right temperature of your products like bakery products etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.



FEATURES	
DOOR LOCK	
DOOR TYPE	✓ 2 Doors/ Sliding
ENERGY LABEL CERTIFICATE	✓

TOWARDS LOWER CONSUMPTION	
INPUT POWER	1500w
LIGHT SWITCH	✓ Led
LOW EMISSIVITY GLASSES	✓
ENERGY LABEL CERTIFICATE	✓

SPECIFICATIONS		
EXTERNAL DIMENSIONS	Width*Depth*Height	1198x570x690 mm
CAPACITY	Liters (Gross)	200
TEMPERATURE	°C	30°C - 90°C
SHELVES		3   Adjustable
THERMOSTAT	(Digital-Manual)	Mechanical

COLORS AVAILABILITY		
EXTERNAL CABINET COLOR	●	inox
INTERNAL CABINET COLOR	●	inox

# EF5 2000

## Salad Displays



**Counter top Salad display ideal for Snacks, Salads with rectangular glass for a better view of the products.**

Including electronic thermostat, ECO friendly refrigerant and GN (1/4) trays.

### FEATURES

DOOR LOCK	
DOOR TYPE	n/a
ENERGY LABEL CERTIFICATE	✓

### TOWARDS LOWER CONSUMPTION

CONSUMPTION	2,13 kWh/24h
LIGHT SWITCH	
LOW EMISSIVITY GLASSES	
ENERGY LABEL CERTIFICATE	✓

### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	2000x335x447 mm
CAPACITY	(GN PAN)	10*1/4 GN Pan
TEMPERATURE	°C	2°C - 12°C
SHELVES		n/a
THERMOSTAT	(Digital-Manual)	Electronic
REFRIGERANT		R290   Environmental friendly

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	<input type="radio"/>	inox
INTERNAL CABINET COLOR	<input type="radio"/>	inox

# EFA 65

## Premium Flat Glass Countertop Display Cake Ambient

**Premium Neutral Display Case**  
**Tabletop 550x398x381 mm**

- With 2 glass doors at the back
- Black color for high aesthetic spaces
- Stainless steel bottom
- Shelf for better product display
- Capacity 65 liters



### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	550x398x381 mm
CAPACITY	Liters (Gross)	65
TEMPERATURE	°C	Ambient
SHELVES		1
LIGHT SWITCH		NO
WEIGHT		18,5 kg

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	inox

# EFA 90

## Premium Flat Glass Countertop Display Cake Ambient

**Premium Neutral Display Case  
Tabletop 5827x368x366 mm**

- With 2 glass doors at the back
- Black color for high aesthetic spaces
- Stainless steel bottom
- Shelf for better product display
- Capacity 90 liters



### SPECIFICATIONS

EXTERNAL DIMENSIONS	Width*Depth*Height	827x368x366 mm
CAPACITY	Liters (Gross)	90
TEMPERATURE	°C	Ambient
SHELVES		2
LIGHT SWITCH		NO
WEIGHT		23 kg

### COLORS AVAILABILITY

EXTERNAL CABINET COLOR	●	Black
INTERNAL CABINET COLOR	●	inox

**ECOFRIDGE**  
Cooling Solutions

